

SECTIO	ON 1. Identification of the substance/mixture and of the company/undertaking				
1.1	Product identifier				
	Trade Name:				
	BeautiBond Universal DC Activator				
1.2	Relevant identified uses of the substance or mixture and uses advised against				
	Relevant identified uses: Dental material				
	Uses advised against: No further data				
1.3	Details of the supplier of the safety date sheet				
	Company/Undertaking identification				
	Manufacturer's Name: SHOFU DENTAL GmbH				
	Address: An der Pönt 70, 40885 Ratingen, Germany				
	Phone: +49 (0) 2102-8664-0				
	Fax: +49 (0) 2102-8664-64				
	E-Mail: info@shofu.de				
	Section in Charge: Quality Management & Regulatory Affairs				
1.4	Emergency Telephone Number				
	+49-2102-8664-53 (SHOFU DENTAL GmbH) 24 hours / 7 days				
SECTIO	DN 2. Hazards identification				
2.1	Classification of the substance or mixture				
	CLASSIFICATION (EC 1272/2008)				
	Flam.liq. 2 H225 Highly flammable liquid and vapour				
	Eye Irrit. 2 H319 Causes serious eye irritation				
	STOT SE 3 H336 May cause drowsiness or dizziness				
2.2	Label elements				
	LABEL IN ACCORDANCE WITH (EC) NO.1272/2008				
	GHS02 GHS07				
	HAZARD-DETERMINING COMPONENTS OF LABELLING				
	Acetone				
	SIGNAL WORD				
	Danger HAZARD STATEMENTS.				
	3 7 1 1				
	, ,				
	H336 May cause drowsiness or dizziness PRECAUTIONARY STATEMENTS				
	P202 Do not handle until all safety precautions have been read and				
	understood.				
	P210 Keep away from heat/sparks/open flames/hot surfaces.				
	– No smoking.				
	(Contd. on page2)				



SAFETY DATA SHEET

				Printing	g date: April 3, 2020
					(Contd. on page1)
		P233	Keep container tightly closed.		
		P261	Avoid breathing dust/fume/gas/mist/v	apour s/sprav.	
		P264	Wash hands thoroughly after handlin		
		P280	Wear protective gloves/protective clo	•	ction/face
		1 200		unig/eye prote	
			protection.		
2.3	Other hazards	~			
2.3			d vPvB assessment		
	PBT:	Not applic			
	vPvB:	Not applic	capie.		
SECTIO		osition/info	prmation on ingredients		
3.1	Chemical cha				
3.2			ubstances listed below with nonhazardo	us additions	
3.2	Description. It			us auditions.	
3.3		Jinponenis.	Acetone		
	Cas: 67-64	4-1		50 60 %	
	EINECS: 2	200-662-2	Flam. Liq. 2 H225, Eye Irrit. 2 H319 STOT SE 3 H336	50-60 %	
0.4					0
3.4	Additional Info	ormation: Fo	or the wording of the listed risk phrases	refer to section	Ζ.
SECTIO		id measure			
4.1	Description of				
7.1	Eye contact:		itiously with water for several minutes. R	Pomovo contact	longos if procont
	Lye contact.		-		•
		•	to do. If eye irritation persists, get media		
	Skin contact:		nediately with soap and plenty of water.	IT ON SKIN, SKIN	irritation, get
			dvice/attention.		
	Ingestion:		uth. Get medical advice/attention.		
	Inhalation:		<i>r</i> ictim to fresh air and keep at rest in a p		-
		If symptor	m concerning breath goes out, call a PC	SON CENTER	R or doctor.
4.2	Most importar	nt symptom	s and effects, both acute and delayed		
	No furth	ner relevant	information available.		
4.3	Indication of a	any immedia	ate medical attention and special treatm	ent needed	
	No furth	ner relevant	information available.		
SECTIO	ON 5. Fire-fig	ghting mea	sures		
5.1	Extinguishing	Media:			
	CO ₂ , Di	ry chemical	, Foam, Dry sand		
5.2	Special hazar	rds arising f	rom the substance or mixture:		
			quid in room temp.		
5.3	Advice for fire		· ·		
		•	e cloth and self-contained breathing app	aratus, if neces	ssarv.
					(Contd. on page3)

(Contd. on page3)



(Contd. on page2)

					(Conto. on pagez)			
SECTIO	ON 6. Accident	tal release measure	S					
6.1	Personal precau	utions, protective equ	uipment and emergency	y procedures:				
	Avoid contact with eyes and skin.							
6.2	-							
0.2	Send to approved treatment/disposal company or dispose according to local, state and							
			isposal company of dis					
0.0	federal re	•						
6.3	3 1							
	Wipe up and discard in a suitable container.							
6.4	.4 Reference to other section:							
	See Section 7 for information on safe handling.							
	See Secti	on 8 for information of	on personal protection	equipment.				
	See Secti	on 13 for disposal inf	formation.					
SECTIO	ON 7. Handlind	g and storage						
7.1	Precautions for							
		a well ventilated place	се					
		•	, sparks and sources o	f heat. No smoking				
7.2			g any incompatibilities:	i ficat. No shioking.				
1.2		-	with container tightly clo	aad				
			•••	JSEU.				
7.0		d from strong oxidant	IS.					
7.3	•	()						
	No further	r relevant information	available.					
SECTIO		e controls/personal	protection					
8.1	Control paramet							
	Exposure limits:		1		-			
	Component		EU	ACGIH (TLV)				
	Acetone	TWA; 500 ppm,	TWA; 500 ppm 8 hr	500 ppm TWA				
		1210 mg/m ³	TWA; 1210 mg/m ³	750 ppm STEL				
		STEL; 1500 ppm,	8 hr					
		3620 mg/m ³						
	Component	NIOSH	OSHA-Final PELs]				
	Acetone	250 ppm TWA	1000 ppm TWA	-				
	/ 0010116	(590mg/m ³ TWA)	2400 mg/m ³ TWA					
		2500 ppm IDLH						
	_							
8.2	Exposure contro							
	Respiratory Pro							
Not required. (use protective gas mask for organic gas, if necessary)								
	Skin Protection:	Hand Protectio	n					
		The glove mate	erial has to be imperme	able and resistant to the	he product/ the			

substance/ the preparation.

(Contd. on page4)



SAFETY DATA SHEET

		(Contd. on page3)			
		Due to missing tests no recommendation to the glove material can be given			
		for the product/ the preparation/the chemical mixture.			
		Selection of the glove material on consideration of the penetration times,			
		rates of diffusion and the degradation.			
		· Material of gloves			
		The selection of the suitable gloves does not only depend on			
		the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation			
		of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.			
		Penetration time of glove material			
		The exact break through time has to be found out by the			
		manufacturer of the protective gloves and has to be observed.			
		• For the permanent contact of a maximum of 15 minutes gloves made of			
		the following materials are suitable:			
		Butyl rubber, BR			
		Nitrile rubber, NBR			
	Evo Protoction:				
	Eye Protection:	Safety goggles			
SECTIO	ON 9 Physical an	d chemical properties			
9.1	· · · · · · · · · · · · · · · · · · ·	c physical and chemical properties			
3.1	Appearance/Odor/C				
	Odour threshold	Not determined.			
		Not determined.			
	pH Malting paint/fragging				
	Melting point/freezin				
	Boiling Point:	Not determined.			
1	Elach naint:	-12.5.9C (closed)			

9.1	Information on basic physical and chemical p	properties
	Appearance/Odor/Colour:	Pale yellow liquid with characteristic odor.
	Odour threshold	Not determined.
	рН	Not determined.
	Melting point/freezing point	Not determined.
	Boiling Point:	Not determined.
	Flash point:	-12.5 °C (closed)
	Evaporation rate	Not determined.
	Flammability (solid, gas)	Not applicable.
	Upper/lower flammability or explosive limits	Not determined.
	Vapour pressure	Not determined.
	Vapour density	Not determined.
	Relative Density:	0.94 (water=1)
	Solubility: water solubility	Soluble
	Partition coefficient: n-octanol/water	Not determined.
	Auto-ignition temperature	Not determined.
	Decomposition temperature	Not determined.
	Viscosity	Not determined.
	Explosive properties	Not applicable.
	Oxidising properties	Not applicable.
9.2	Other information	
	No further relevant information availab	٩

No further relevant information available.

(Contd. on page5)



Revision date: April 1, 2020

(Contd. on page4)

SECTIO	N 10. Stability and react	ivity				(00.1101 011 page 1)
	Reactivity:					
	No further relevant ir	nformation availab	le.			
10.2	Chemical stability:					
	Stable under normal	temperatures and	l pressur	es.		
10.3	Possibility of hazardous re	actions:				
	No dangerous reacti	ons known.				
10.4	Condition to Avoid:					
	Avoid direct sunlight	, excess heat, flan	ne and o	ther sourc	ce of ignition.	
10.5	Incompatible materials:					
	Strong oxidizing mat	erials.				
10.6	Hazardous Decomposition	Products:				
	None under normal of	conditions of stora	ge and u	ise.		
SECTIO	N 11. Toxicological infor	mation				
11.1	Information on toxicologica	al effects:				
	Acute toxicity:	Acetone;				
		Oral	rat	LD50	5800 mg/kg	
		Dermal	rabbit	LD50	> 15800 mg/kg	
			rat	LD50	> 7400 mg/kg	
		Inhalation	rat	LC50	76 mg/l, 4h	
	Skin corrosion/irritation:	Based on availab	ole data,	the classi	fication criteria ar	re not met.
	Eye damage/irritation:	Eye Irrit. 2; H319	Causes	s serious	eye irritation.	
	Sensitization to the respira	tory tract:				
		Based on availab	-			
	Skin sensitization:	Based on availab	ole data,	the classi	fication criteria ar	e not met.
	Germ cell mutagenicity/Ge	-				
		Based on availab				
	Carcinogenicity:	Based on availab				
	Reproductive toxicity:	Based on availab	ole data,	the classi	fication criteria ar	e not met.
	Effects on or via lactation:					
	Specific target organ toxici		-			
				ause drow	siness or dizzine	SS.
	Specific target organ toxici	• • • •				
		Based on availab				
	Aspiration hazard:	Based on availab	ole data,	the classi	fication criteria ar	e not met.
OFOTIO		tion				
	N 12. Ecological informa	tton				
12.1	Toxicity:	hu Eathaad mine -				
10.0	Acetone: Fish toxicit	•	w; LC50/	901 < 100	J mg/L	
12.2	Persistence and degradab	•	lo			
10.0	No further relevant in		ie.			
12.3	Bioaccumulative potential: No further relevant ir		lo			
	ino iurther relevant li	normation availab	ie.			(Contra on the contra
						(Contd. on page6)
						Version Number 2



SAFETY DATA SHEET

(Contd. on page5)

12.4 Mobility in soil:

No further relevant information available.

- 12.5 Results of PBT and vPvB assessment: Not applicable.
- 12.6 Other adverse effects: No further relevant information available.

SECTION 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of contents/container to in accordance with local/regional/national/international regulations.

SECTION 14. Transport information				
14.1 UN number: 1090				
14.2 UN proper shipping name: Aceton, solution				
14.3 Transport hazard class(es): 3 Flammable liquids.				
14.4 Packing group: II				
14.5 Environmental hazards: No further relevant information available.				
14.6 Special precautions for user:	Warning: Flammable liquids.			
14.7 Transport in bulk according to Ann	ex II of MARPOL73/78 and the IBC Code:			
	Not applicable.			
ECTION 15. Regulatory information				
15.1 Safety, health and environmental r	regulations/legislation specific for the substance or mixture:			
EU REGULATIONS: See Section	2			
Other regulations, limitations and	prohibitive regulations:			
The product is a medical device according to the EC-directive 93/42/EEC.				
15.2 Chemical safety assessment:				
A Chemical Safety Assessment has not been carried out.				
A Chemical Safety Assessm	ent has not been carried out.			
SECTION 16. Other information				

SECTION 16. Other information

This product is intended for use by dental professionals. (instrument/material)

Relevant phrases:

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness

Abbreviations and acronyms:

EINESC: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative