GB

Safety Datasheet according to 1907/2006/EC, Article 31

Version number 3 Revision: 20.07.2018 Printing date 20.07.2018 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: Clearsplint CAD/CAM Pro - Liquid Product contains multiple components, subsequently, all safety data sheets contained in this document are to be taken into consideration. · Article number: according to Catalog · 1.2 Relevant identified uses of the substance or mixture and uses advised against · Sector of Use SU20 Health services • Environmental release category ERC2 Formulation into mixture · Application of the substance / the mixture Dental material · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Manufacturer: Astron Dental Corporation 815 Oakwood Road, Unit G Lake Zurich, IL. 60047 (USA) E-Mail: customerservice@astrondental.com Supplier: Kentzler-Kaschner Dental GmbH Mühlgraben 36 D-73479 Ellwangen Tel: +49/7961/90730 Fax: +49/7961/52031 E-Mail: info@kkd-topdent.de · Further information obtainable from: During normal business hours Monday-Thursday 08:30 - 12:30 and 13:00 - 16:30 CET Friday 08:30 - 12:30 and 13:00 - 15:00 CET · 1.4 Emergency telephone number: Vergiftungs-Informations-Zentrale Freiburg, Tel. +49 761 19240 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 · Signal word Warning (Contd. on page 2)

Printing date 20.07.2018

Version number 3

Revision: 20.07.2018

		ining components of labelling:
H315 Causes skin irritation.H319 Causes serious eye irritation.H335 May cause respiratory irritation.Precautionary statementsP210Keep away from heat No smoking.P264Wash thoroughly after handling.P280Wear protective gloves / eye protection / face protection.P302+P352IF ON SKIN: Wash with plenty of water.P321Specific treatment (see on this label).P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.P332+P313If skin irritation occurs: Get medical advice/attention.P362Take off contaminated clothing.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container to to according to local regulations, the disposal company		•
 H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from heat No smoking. P264 Wash thoroughly after handling. P280 Wear protective gloves / eye protection / face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see on this label). P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to to according to local regulations, the disposal company 	Hazard stateme	nts
H335 May cause respiratory irritation.Precautionary statementsP210Keep away from heat No smoking.P264Wash thoroughly after handling.P280Wear protective gloves / eye protection / face protection.P302+P352IF ON SKIN: Wash with plenty of water.P321Specific treatment (see on this label).P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.P332+P313If skin irritation occurs: Get medical advice/attention.P362Take off contaminated clothing.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container to to according to local regulations, the disposal company	H315 Causes sk	in irritation.
Precautionary statementsP210Keep away from heat No smoking.P264Wash thoroughly after handling.P280Wear protective gloves / eye protection / face protection.P302+P352IF ON SKIN: Wash with plenty of water.P321Specific treatment (see on this label).P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.P332+P313If skin irritation occurs: Get medical advice/attention.P337+P313If eye irritation persists: Get medical advice/attention.P362Take off contaminated clothing.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container to to according to local regulations, the disposal company	H319 Causes se	rious eye irritation.
P210Keep away from heat No smoking.P264Wash thoroughly after handling.P280Wear protective gloves / eye protection / face protection.P302+P352IF ON SKIN: Wash with plenty of water.P321Specific treatment (see on this label).P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.P332+P313If skin irritation occurs: Get medical advice/attention.P362Take off contaminated clothing.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container to to according to local regulations, the disposal company	H335 May cause	e respiratory irritation.
 P264 Wash thoroughly after handling. P280 Wear protective gloves / eye protection / face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see on this label). P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to to according to local regulations, the disposal company. 	Precautionary s	tatements
P280Wear protective gloves / eye protection / face protection.P302+P352IF ON SKIN: Wash with plenty of water.P321Specific treatment (see on this label).P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.P332+P313If skin irritation occurs: Get medical advice/attention.P337+P313If eye irritation persists: Get medical advice/attention.P362Take off contaminated clothing.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container to to according to local regulations, the disposal company	P210	Keep away from heat No smoking.
P302+P352IF ON SKIN: Wash with plenty of water.P321Specific treatment (see on this label).P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.P332+P313If skin irritation occurs: Get medical advice/attention.P337+P313If eye irritation persists: Get medical advice/attention.P362Take off contaminated clothing.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container to to according to local regulations, the disposal company	P264	Wash thoroughly after handling.
P321Specific treatment (see on this label).P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.P332+P313If skin irritation occurs: Get medical advice/attention.P337+P313If eye irritation persists: Get medical advice/attention.P362Take off contaminated clothing.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container to to according to local regulations, the disposal company	P280	Wear protective gloves / eye protection / face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.P332+P313If skin irritation occurs: Get medical advice/attention.P337+P313If eye irritation persists: Get medical advice/attention.P362Take off contaminated clothing.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container to to according to local regulations, the disposal company	P302+P352	IF ON SKIN: Wash with plenty of water.
present and easy to do. Continue rinsing.P332+P313If skin irritation occurs: Get medical advice/attention.P337+P313If eye irritation persists: Get medical advice/attention.P362Take off contaminated clothing.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container to to according to local regulations, the disposal company	P321	Specific treatment (see on this label).
P332+P313If skin irritation occurs: Get medical advice/attention.P337+P313If eye irritation persists: Get medical advice/attention.P362Take off contaminated clothing.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container to to according to local regulations, the disposal company	P305+P351+P3	
P337+P313If eye irritation persists: Get medical advice/attention.P362Take off contaminated clothing.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container to to according to local regulations, the disposal company		
P362Take off contaminated clothing.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container to to according to local regulations, the disposal company		
P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents/container to to according to local regulations, the disposal company	P337+P313	If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container to to according to local regulations, the disposal company	P362	Take off contaminated clothing.
	P403+P235	Store in a well-ventilated place. Keep cool.
	P501	Dispose of contents/container to to according to local regulations, the disposal company
2.3 Other hazards	2.3 Other hazar	ds

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Dental material

· Dangerous components:

CAS: 2370-63-0 EINECS: 219-135-3 Index number: 607-134-00-4 2-ethoxyethyl methacrylate \$\$ Skin Irrit. 2, H315; Eye

🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Take affected persons out of danger area and lay down.

Do not leave affected persons unattended.

Take affected persons out into the fresh air.

- After inhalation: Take affected persons into fresh air and keep quiet.
- After skin contact: If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Inform doctor. Do not give milk or fatty oils.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet

• 5.2 Special hazards arising from the substance or mixture Carbon dioxide (CO2)

(Contd. on page 3)

75-100%

GB

Printing date 20.07.2018

Version number 3

Revision: 20.07.2018

(Contd. of page 2)

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection:
- Filter type A2

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Fluorocarbon rubber (Viton)

Butyl rubber, BR

Recommended material thickness:

Butylkautschuk: 0,50 mm +/- 0,10 mm

Fluorkautschuk: 0,75 mm +/- 0,10 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Printing date 20.07.2018

Version number 3

Revision: 20.07.2018

(Contd. of page 3)

· Penetration time of glove material

- Basis: DGUV 212-007
- Permeation (Fluorkautschuk): + Level 6 (> 240 min)
- Permeation (Butykautschuk): + Level 6 (> 480 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

 For the permanent contact gloves made of the following materials are suitable: Fluorocarbon rubber (Viton)
 Butyl rubber, BR
 Not suitable are gloves made of the following materials:

• Not suitable are gloves made of the following materials: Chloroprene rubber, CR PVC gloves

· Eye protection: Goggles recommended during refilling

9.1 Information on basic physical and cl	hemical properties	
General Information	iemicai properties	
Appearance:		
Form:	Fluid	
Colour:	Light yellow	
Odour:	Recognisable	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	91°C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C:	1 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Solids content:	25.0 %	

Printing date 20.07.2018

Version number 3

Revision: 20.07.2018

(Contd. of page 4)

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \cdot 10.4 Conditions to avoid Open fire, hot surfaces, high temperatures
- · 10.5 Incompatible materials: oxidants, acids, bases
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- \cdot Additional ecological information:
- · General notes:
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

 \cdot European waste catalogue

18 02 06 chemicals other than those mentioned in 18 02 05

(Contd. on page 6)

GB

Printing date 20.07.2018

Version number 3

Revision: 20.07.2018

(Contd. of page 5)

18 02 08 medicines other than those mentioned in 18 02 07

20 01 32 medicines other than those mentioned in 20 01 31

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informat	ion
14.1 UN-Number ADR, ADN, IMDG, IATA	 Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	 Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	 Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
ADR Remarks:	No Dangerous Goods
· IMDG · Remarks:	No Dangerous Goods
· IATA · Remarks:	Not restricted
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

• Department issuing SDS:

LOGAR Günther Hasel e.K. Baden-Airpark, Airport Boulevard B 210 D-77836 Rheinmünster Tel: +49(0)7229-1868-163

(Contd. on page 7)

⁻ GB

Printing date 20.07.2018

Version number 3

Revision: 20.07.2018

	(Contd. of page
Fax: +49(0)7229-1868-165	
Contact: info@logar.de	
Date of preparation / last revision 13.07.2018	3
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandis	ses dangereuses par Route (European Agreement concerning the Internatio
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous God	ods
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and	l Labelling of Chemicals
EINECS: European Inventory of Existing Commercial C	hemical Substances
ELINCS: European List of Notified Chemical Substance.	S
CAS: Chemical Abstracts Service (division of the Americ	can Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation - Categor	y 2
STOT SE 3: Specific target organ toxicity (single exposu	re) – Category 3
* Data compared to the previous version alte	red

Safety Datasheet

according to 1907/2006/EC, Article 31

KASCHNI Denta

Version number 1 Revision: 18.06.2018 Printing date 20.07.2018 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: Clearsplint CAD/CAM Pro Powder Product contains multiple components, subsequently, all safety data sheets contained in this document are to be taken into consideration. · Article number: according to Catalog · 1.2 Relevant identified uses of the substance or mixture and uses advised against · Sector of Use SU20 Health services · Environmental release category ERC2 Formulation into mixture · Application of the substance / the mixture Dental material · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Manufacturer: Astron Dental Corporation 815 Oakwood Road, Unit G Lake Zurich, IL. 60047 (USA) E-Mail: customerservice@astrondental.com Supplier: Kentzler-Kaschner Dental GmbH Mühlgraben 36 D-73479 Ellwangen Tel: +49/7961/90730 Fax: +49/7961/52031 E-Mail: info@kkd-topdent.de · Further information obtainable from: During normal business hours Monday-Thursday 08:30 - 12:30 and 13:00 - 16:30 CET Friday 08:30 - 12:30 and 13:00 - 15:00 CET • 1.4 Emergency telephone number: Vergiftungs-Informations-Zentrale Freiburg, Tel. +49 761 19240 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS07 Eye Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 · Signal word Warning (Contd. on page 2)

Printing date 20.07.2018

Version number 1

Revision: 18.06.2018

(Contd. of page 1)

Hazard stateme	
H319 Causes se	rious eye irritation.
•	e an allergic skin reaction.
Precautionary s	statements
P240	Ground/bond container and receiving equipment.
P261	Avoid breathing dust.
P264	Wash contaminated skin areas thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P.	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P321	Specific treatment (see on this label).
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container to according to local regulations, the disposal company
2.3 Other hazar	
	and vPvB assessment

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Dental material

· Dangerous comp	onents:
------------------	---------

· Dangerous components:			
CAS: 94-36-0	dibenzoyl peroxide	0.1-3.0%	
EINECS: 202-327-6	🔗 🕙 Org. Perox. B, H241; 🕔 Eye Irrit. 2, H319; Skin Sens. 1,		
Index number: 617-008-00-0	H317		
RTECS: DM 8575000			
CAS: 9003-42-3	Methacrylat Polymer	75-100%	
• Additional information: For the wording of the listed hazard phrases refer to section 16.			

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Take affected persons out of danger area and lay down. Do not leave affected persons unattended. Take affected persons out into the fresh air.

• After inhalation:

Take affected persons into fresh air and keep quiet.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Inform doctor. Do not give milk or fatty oils.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. (Contd. on page 3)

- GB -

Printing date 20.07.2018

Version number 1

Revision: 18.06.2018

(Contd. of page 2)

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: Water with full jet

- 5.2 Special hazards arising from the substance or mixture Carbon dioxide (CO2)
- 5.3 Advice for firefighters

· Protective equipment: No special measures required.

 \cdot Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.

• Storage class: VCI: 11

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

94-36-0 dibenzoyl peroxide

WEL Long-term value: 5 mg/m³

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

(Contd. on page 4)

Printing date 20.07.2018

Version number 1

Revision: 18.06.2018

(Contd. of page 3)

· Respiratory protection:



Dust mask

Particle filter P2

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Fluorocarbon rubber (Viton) Butyl rubber, BR Recommended material thickness: Butylkautschuk: 0,50 mm +/- 0,10 mm

Fluorkautschuk: 0,75 mm +/- 0,10 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Basis: DGUV 212-007

Permeation (Fluorkautschuk): + Level 6 (> 240 min) Permeation (Butykautschuk): + Level 6 (> 480 min)

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable: Fluorocarbon rubber (Viton) Butyl rubber, BR

· Eye protection:

Tightly sealed goggles

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical a • General Information	na chemicai propenies	
Appearance:		
Form:	Powder	
Colour:	Light yellow	
Odour:	Mild	
• Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	nge: Undetermined.	
		(Contd. on page

Printing date 20.07.2018

Version number 1

Revision: 18.06.2018

	(Co	ontd. of page
· Flash point:	305 °C	
· Flammability (solid, gas):	Not determined.	
· Decomposition temperature:	Not determined.	
• Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
· Density at 20 °C:	1.25 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
VOC (EC)	0.00 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Open fire, hot surfaces, high temperatures
- · 10.5 Incompatible materials: oxidants, acids, bases

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Printing date 20.07.2018

Version number 1

Revision: 18.06.2018

(Contd. of page 5)

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

18 02 06 chemicals other than those mentioned in 18 02 05

18 02 08 medicines other than those mentioned in 18 02 07

20 01 32 medicines other than those mentioned in 20 01 31

• Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport informa	tion
14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
ADR Remarks:	No Dangerous Goods

Printing date 20.07.2018

Version number 1

Revision: 18.06.2018

	(Cor	td. of page 6)
· IMDG · Remarks:	No Dangerous Goods	
· IATA · Remarks:	Not restricted	
· UN ''Model Regulation'':	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Relevant phrases** H241 Heating may cause a fire or explosion. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

• Department issuing SDS: LOGAR Günther Hasel e.K. Baden-Airpark, Airport Boulevard B 210 D-77836 Rheinmünster Tel: +49(0)7229-1868-163 Fax: +49(0)7229-1868-165

· Contact: info@logar.de

• Date of preparation / last revision 18.06.2018

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Org. Perox. B: Organic peroxides – Type B
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1