

according to Regulation (EC) No. 1907/2006

### **Detaferm**®

Revision date: 08.11.2022

Product code: 1748

Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Detaferm®

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Provisional filling material for use in dentistry.

#### 1.3. Details of the supplier of the safety data sheet

	s callety aata chicet	
Company name:	DETAX GmbH	
Street:	Carl-Zeiss-Straße 4	
Place:	D-76275 Ettlingen	
Telephone:	+49 7243/510-0	Telefax: +49 7243/510-100
e-mail:	post@detax.com	
Internet:	www.detax.com	
Responsible Department:	This number is only obtainable d	luring office hours
	(Monday - Thursday 8.00 a.m	5.00 p.m., Friday 8.00 a.m 4.00 p.m.)
1.4. Emergency telephone	+1-800-424-9300 (CHEMTREC	worldwide)

number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Regulation (EC) No. 1907/2006 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No. 1907/2006

### Hazard components for labelling

Zinc sulfate monohydrate Danger

Signal word:

**Pictograms:** 



### Hazard statements

H318	Causes serious eye damage.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary stateme	ents

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P391	Collect spillage.
P501	Dispose of contents/container to according to local and applicable legislation of dispose of waste.

### **Detaferm**®

Revision date: 08.11.2022

Product code: 1748

Page 2 of 9

# Additional advice on labelling

According to Regulation (EC) 1272/2008, art.1 No. 5 (d) this product as a medical product must not be labelled!

### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No.	1907/2006)				
1314-13-2	zinc oxide			20 - < 40 %		
	215-222-5	030-013-00-7				
	Aquatic Acute 1, Aquatic Chronic 1					
7446-19-7	Zinc sulfate monohydrate		5 - < 20 %			
	231-793-3	030-006-00-9				
	Acute Tox. 4, Eye Dam. 1, Aquatic	318 H400 H410				
115-86-6	triphenylphosphate			0.1 - < 5 %		
	204-112-2					
	Aquatic Acute 1, Aquatic Chronic 1					

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
1314-13-2	215-222-5	zinc oxide	20 - < 40 %		
	oral: LD50 = > 5000 mg/kg				
7446-19-7	231-793-3	Zinc sulfate monohydrate	5 - < 20 %		
	oral: LD50 = 2949 mg/kg				
115-86-6	204-112-2	triphenylphosphate	0.1 - < 5 %		
	dermal: LD50	= 10000 mg/kg; oral: LD50 = 20000 mg/kg			

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



according to Regulation (EC) No. 1907/2006

### **Detaferm**®

Revision date: 08.11.2022

Product code: 1748

Page 3 of 9

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# 5.2. Special hazards arising from the substance or mixture

Non-flammable.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

### For cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid dust formation. Do not breathe dust.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

### 7.3. Specific end use(s)

Dental provisional filling cement. For use by trained specialist staff.



### **Detaferm**®

Revision date: 08.11.2022

Product code: 1748

Page 4 of 9

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
115-86-6	Triphenyl phosphate	-	3		TWA (8 h)	WEL
		-	6		STEL (15 min)	WEL

#### 8.2. Exposure controls

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Use of protective clothing.

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Paste
Colour:	white
Odour:	odourless
Melting point/freezing point:	not determined
Boiling point or initial boiling point and	239 °C
boiling range:	
Flammability	
Solid/liquid:	not determined
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	224 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not determined
Water solubility:	The study does not need to be conducted
	because the substance is known to be
	insoluble in water.
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined

	Detaferm®	
Revision date: 08.11.2022	Product code: 1748	Page 5 of 9
Vapour pressure:	0,27 hPa	
(at 20 °C)		
Vapour pressure:	2,13 hPa	
(at 50 °C)		
Density:	2,52 g/cm³	
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical hazard cla	asses	
Explosive properties		
The product is not: Explosive.		
Oxidizing properties		
The product is not: oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solid content:	not determined	

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No. 1907/2006

### Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
1314-13-2	zinc oxide					
	oral	LD50 mg/kg	> 5000	Rat	IUCLID	
7446-19-7	Zinc sulfate monohydrate	9				
	oral	LD50 mg/kg	2949	Rat		
115-86-6	triphenylphosphate					
	oral	LD50 mg/kg	20000	Rat	ECHA	
	dermal	LD50 mg/kg	10000	Rabbit	ECHA	



### **Detaferm**®

Revision date: 08.11.2022

Product code: 1748

Page 6 of 9

#### Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### **SECTION 12: Ecological information**

### 12.1. Toxicity

#### Very toxic to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
1314-13-2	zinc oxide						
	Acute fish toxicity	LC50 mg/l	1120	96 h		GESTIS	
	Acute algae toxicity	ErC50 mg/l	0,21		Selenastrum capricornutum	CSR	
	Acute crustacea toxicity	EC50 mg/l	0,67	48 h	Ceriodaphnia spec	CSR	
115-86-6	triphenylphosphate			-			
	Acute fish toxicity	LC50	0,4 mg/l	96 h		ECHA	
	Acute algae toxicity	ErC50	2 mg/l	96 h		GESTIS	
	Acute crustacea toxicity	EC50	1 mg/l	48 h		GESTIS	

### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

according to Regulation (EC) No. 1907/2006

	Detaferm®	
Revision date: 08.11.2022	Product code: 1748	Page 7 of 9
14.1. UN number or ID number:	UN 3077	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
14.3. Transport hazard class(es):	9	
14.4. Packing group:	III	
Hazard label:	9	
Classification code:	M7	
Special Provisions:	274 335 375 601	
Limited quantity:	5 kg	
Excepted quantity:	E1	
Transport category:	3	
Hazard No:	90	
Tunnel restriction code:	-	
Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u>	UN 3077	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
14.3. Transport hazard class(es):	9	
14.4. Packing group:	j II	
Hazard label:	9	
Classification code:	M7	
Special Provisions:	274 335 375 601	
Limited quantity:	5 kg	
Excepted quantity:	E1	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 3077	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
14.3. Transport hazard class(es):	9	
14.4. Packing group:	III	
Hazard label:	9	
Special Provisions:	274, 335, 966, 967, 969	
Limited quantity:	5 kg	
Excepted quantity:	E1	
EmS:	F-A, S-F	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 3077	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
14.3. Transport hazard class(es):	9	
14.4. Packing group:		
Hazard label:	9	
Special Provisions:	A97 A158 A179 A197 A215	
Limited quantity Passenger: Passenger LQ:	30 kg G Y956	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	956	
IATA-max. quantity - Passenger:	400 kg	
IATA-packing instructions - Cargo:	956	
IATA-max. quantity - Cargo:	400 kg	
14.6. Special precautions for user		
No information available.		
14.7. Maritime transport in bulk according t	o IMO instruments	
not applicable		
SECTION 15: Regulatory information		

**SECTION 15: Regulatory information** 



	according to Regulation (EC) No. 1907/2006	
	Detaferm®	
Revision date: 08.11.2022	Product code: 1748	Page 8 of 9
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 75		
Information according to 2012/18/EU (SEVESO III):	E1 Hazardous to the Aquatic Environment	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).	9
Water hazard class (D):	3 - highly hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for subs	stances in this mixture were not carried out.	
SECTION 16: Other information		
Abbreviations and acronyms		
CLP: Classification, labelling and Pack	aging	
REACH: Registration, Evaluation and		
GHS: Globally Harmonised System of	Classification, Labelling and Packaging of Chemicals	
UN: United Nations		
CAS: Chemical Abstracts Service		
DNEL: Derived No Effect Level		
DMEL: Derived Minimal Effect Level		
PNEC: Predicted No Effect Concentra	tion	
ATE: Acute toxicity estimate		
LC50: Lethal concentration, 50%		
LD50: Lethal dose, 50%		
LL50: Lethal loading, 50% EL50: Effect loading, 50%		
EC50: Effective Concentration 50%		
ErC50: Effective Concentration 50%	nrowth rate	
NOEC: No Observed Effect Concentra		
BCF: Bio-concentration factor		
PBT: persistent, bioaccumulative, toxic		
vPvB: very persistent, very bioaccumu		
• •	t des marchandises dangereuses par Route	
	International Carriage of Dangerous Goods by Road)	
RID: Regulations concerning the interr	national carriage of dangerous goods by rail	
ADN: European Agreement concernin	g the International Carriage of Dangerous Goods by Inland Waterways	
· · · ·	nternational des marchandises dangereuses par voies de navigation	
intérieures)		
IMDG: International Maritime Code for	Dangerous Goods	
EmS: Emergency Schedules		
MFAG: Medical First Aid Guide	·	
IATA: International Air Transport Asso		
ICAO: International Civil Aviation Orga		
IBC: Intermediate Bulk Container	r the Prevention of Marine Pollution from Ships	
SVHC: Substance of Very High Conce	rn	
• •	ECHA Guidance on information requirements and chemical safety	
assessment, chapter R.20 (Table of te		
,	<i>,</i>	



Revision date: 08.11.2022

Product code: 1748

Page 9 of 9

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1907/2006

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 1; H410	Calculation method

### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)