1.0	Commercial Product Name and Supplier				
1.1	Commercial product name Embrace™ WetBond™ Class V Embrace™ WetBond™ First Coat Embrace™ Esthetic Opaquer Embrace™ WetBond™ Pit & Fissure Sealant Embrace™ WetBond™ Pit & Fissure Sealant Lo Embrace™ WetBond™ Seal-n-Shine™ Embrace™ WetBond™ Resin Cement		Codes EMVA2, EMVA3.5 EMFC EMO1, EMO2, EMO4 EMS, EMS3, EMSB, EMSW, EMS3W, EMSWB Fill EMSWLF,EMSWLFB EMSNS, EMSNY EMCAR, EMCAR2, EMCMR, EMCMR2,		
1.2	Application / Use		Dental material for use by dental professional only.		
1.2.2	SIC		851 Human health activity		
1.2.3	Use Category		55	·	
1.3	Manufacturer <i>Pulpdent Corporation</i> 80 Oakland Street Watertown, MA 02472 USA		Telephone: 1 617 926-6666 Fax: 1 617 926-6262 Email: <u>Pulpdent@pulpdent.com</u>		
1.4	Emergency Telephone Number		1-800-535-5053 (24 Hour / USA)		
1.5	Authorized European Representative		Tower Stre	iness Centre, 2nd Floor	,
	UK Responsible Person			nited es, Plato Close CV34 6WE United Kingd	om
2.0	Hazards Identification				
2.1	Classification				
2.1.1	Classification according to Regulation (EC) No 1272/2008 [CLP]	Hazard Cl Acute toxi Eye irritati STOT SE Skin irritat Skin sensi	city on ion	Hazard Category 4 2 3 2 1	Hazard Statement H302 H319 H335 H315 H317
2.1.2	Classification according to Directive 67/548/EEC		ul (Xn) R22, risk phrases)	, irritant; Xi; R 36/37/38	-43 (See SECTION 16 for full
2.2	GHS Label Elements Hazard Pictograms				
	Signal Word: WARNING				
	Restricted to use by dental professional only. Hazard Statements H302 Harmful if swallowed. H319: Eye irritation. 2. May cause eye irritation. H335: STOT SE. 3. May cause respiratory irritatio	n.			

Trade Name: EMBRACE™ Product Line

H315: Skin irritation. 2. May cause skin irritation. H317: Sensitization. 1. May cause an allergic skin reaction.

Precautionary Statements

P261: Avoid breathing vapor.

P280: Wear protective gloves and eye protection

P305+P351: If in eyes, rinse cautiously with water for several minutes.

P337+P313: If eye irritation persists, get medical advice/attention. P302+P352: If on skin, wash with plenty of soap and water.

P333+P313: If irritation or rash occurs, get medical advice/attention.

P410+P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.

3.0 Composition

3.1

4.0

4.1

4.3

4.4

4.5

4.6

4.7

Chemical characterization of the preparation: Acrylate ester monomers in two-part, glass-filled, dual-cure paste.

3.2 Hazardous ingredients

First Aid Measures

General Information

Skin Contact

Eye Contact

Ingestion

Symptoms

Hazards

Information for physicians

CAS Number	Name of the Ingredient	Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1272/2008 (CLP).
Proprietary	Uncured acrylate ester monomers	55-60%	Irritant; Xi R 3637//38 - 43	Eye irritation, 2 H319 STOT SE 3 H335 Skin irritation, 2 H315 Skin sensitization,1H317
112945-52-5	Silica, amorphous	5 %	Irritant; Xi, R 36/37/38	Eye irritation, 2 H319 STOT SE 3 H335 Skin irritation, 2 H315
7681-49-4	Sodium fluoride	<2%	Harmful (Xn); R22-36/38	Acute toxicity, 4 H302 Skin irritation, 2 H315 Eye irritation, 2 H319

May be irritating to eyes, respiratory system and skin. Do not inhale vapors. May cause sensitization by skin contact. Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty.

- 4.2 Inhalation Move to fresh air. If necessary, administer oxygen and/or artificial respiration. Seek medical attention.
 - Take off contaminated clothing. Wash thoroughly with soap and water.

Keep eyelids apart, flush with running water for 15+ minutes. Get medical attention.

Rinse mouth with water. Do not induce vomiting. Get immediate medical attention. May be irritating to mucous membranes. Never give anything by mouth to an unconscious person.

Precautions for first responders Ventilate the area. Wear eye and skin protection.

Irritation or redness in eyes, throat or on skin.

May be irritating to eyes, respiratory system, skin or sensitizing by skin contact.

Treatment As above under First Aid.

5.0 Fire Fighting Measures

Pulpdent Corporation

Safety Data Sheet

5.1	Suitable extinguishing media	Carbon dioxide, dry chemical, alcohol foam, or water fog. Water spray may be used to keep fire exposed containers cool.		
5.2	Extinguishing media to avoid	Do not use direct water stream		
5.3	Special exposure hazards in a fire	Heat may cause polymerization	n with rapid release of energy.	
5.4	Special protective equipment for fire- fighters		Self-contained breathing apparatus. Cool exposed containers with wate spray to prevent polymerization under fire conditions.	
6.0	Accidental Release Measures			
6.1	Personal precautions.	Wear safety glasses, gloves an	d lab coat.	
6.2	Environmental precautions	Avoid releasing large amount Cured / set-up material is, to ou	ts of uncured material into the environment ir knowledge, inert.	
6.3	Method for clean up	Contain spilled material. Absorb or wipe up spill with paper towels or cloths Collect for disposal in a covered container. Wash spill area with alcohol o soap and water.		
7.0	Handling and Storage			
7.1	Handling	direct/strong light sources, ter	For use only by dental professionals. Follow good hygiene practices. Avoid direct/strong light sources, temperature extremes (>27°C/80°F, <5°C/40°F) contamination and cross contamination. Recap immediately after use.	
7.2	Storage	Store product tightly capped in original container at cool room temperature (<25°C). Avoid direct, strong light, sources of ignition and extremes of temperature. Shelf life for unopened product is two years from date of manufacture, provided that the material has been stored properly.		
7.3	Specific uses	Dental restorative materials		
8.0	Exposure Controls / Personal Protection			
8.1 8.2	Exposure limit values Exposure controls	PEL: Not established. TLV: No	ot established.	
8.2.1	Occupational exposure controls	No special equipment required	under normal conditions of use.	
8.2.1.1	Respiratory protection	Good general ventilation will co	ntrol airborne vapors from uncured material.	
8.2.1.2	Hand protection	No special requirements other t	than the usual surgical gloves.	
8.2.1.3	Eye protection	No special requirements other t	than the usual safety glasses.	
8.2.1.4	Skin protection		Good personal hygiene and safety practices and wearing a lab coat should protect from exposure to uncured material.	
8.2.1.5	Other controls	Emergency eye wash fountain	should be available. Wash hands after use.	
8.2.2	Environmental exposure controls	Cure material before disposing.		
9.0	Physical and Chemical Properties			
9.1	Characteristics			
9.1.1	Appearance /Color / Physical state	Embrace Product	Description	
		First Coat, Seal-n-Shine	Thin, clear liquid	
		Esthetic Opaquer	Opaque, thick paste: Bleach White, Off- White, Light Yellow, Pink, Dark Yellow	
		Pit and Fissure Sealant	Natural tooth shade or	
		3/6		

			off-white thin paste.
		Pit and Fissure Sealant, Low Fill	Off-white thin paste
		Class V	Tooth-colored paste.
		Resin Cement:	Two thin pastes: one white, one yellow.
9.1.2	Odor	Faint, characteristic	
9.2	Important health, safety and environment	al information	
9.2.1	pH	Not determined	
9.2.2	Boiling point	Not determined	
9.2.3	Flash point	Not determined	
9.2.4	Flammability (solid, gas)	Not applicable	
9.2.5	Explosive properties	Not applicable	
9.2.6	Oxidizing properties	Not determined	
9.2.7	Vapor pressure	< 1 mm Hg	
9.2.8	Specific gravity	Embrace First Coat: 1.420 Embrace Seal-n-Shine: 1.240 Embrace Opaquer: 1.780 Embrace Pit & Fissure Sealant: Embrace Pit & Fissure Sealant, Embrace Class V: 2.030 Embrace Resin Cement: Low Vi Embrace Resin Cement: Medium	Low Fill: 1.160 iscosity: 1.660
9.2.9	Solubility in water	Nil	
9.2.10	Partition coefficient	Not determined	
9.2.11	Viscosity	Not determined	
9.2.12	Vapor density	Not determined	
9.2.13	Evaporation rate	Not determined	
10.0	Stability and reactivity		
10.1	Conditions to avoid	Temperature > 38°C, intense lig	ht, cross-contamination.
10.2	Materials to avoid	Reducing and oxidizing agents,	peroxides, amines.
10.3	Hazardous decomposition products	this product, hazardous polyme	amounts greater than that supplied in erization may occur with heat build-up bon dioxide, and oxides of nitrogen.
10.4	Further information	Stable material if stored and use when light-cured material is expo	ed as directed. Polymerization will occur osed to direct light.
11.0	Toxicological information		
11.1	Acute toxicity	Not toxic. Minimal health hazar	d under normal conditions of use.
11.2	Irritation and corrosiveness	May be irritating to eyes, respir on contact or with prolonged e>	atory tract, mucous membranes or skin posure.

Pulpdent Corporation

Safety Data Sheet

11.3	Sensitization	May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals.	
11.4	Sub-acute, sub-chronic and prolonged toxicity	Prolonged and/or frequent skin contact may cause allergic skin reactions in susceptible individuals.	
11.5	Carcinogenicity, Mutagenicity, Reproductive Toxicity	None known	
11.6	Empirical data	Not available	
11.7	Clinical experience	Embrace products have been used safely and effectively by dentists in the US and internationally for more than 10 years with no reports of adverse events.	
12.0	Ecological Information		
12.1	Ecotoxicity	Avoid release of uncured material into the environment. To the best of our knowledge, polymerized material is inert. No other information is available. Follow all government regulations.	
13.0	Disposal Considerations		
13.1	Regulations	Follow all local and national government regulations in disposing material or contaminated packaging.	
14.0	Transport Information		
14.1	Restrictions	None. Not regulated.	
15.0	Regulatory Information		
15.1	EU	Class IIa medical devices under MDD 93/42/EEC.	
15.2	US FDA	Class II medical devices.	
15.3	Health Canada	Class III medical devices	
16.0	Other information		
16.1	List of relevant R phrases	R22: Harmful if swallowed.	
		R 36 / 3 7/ 38: Irritating to eyes, respiratory system and skin.	
		R 43: Sensitizing by skin contact.	
16.2	Hazard Statements	H302: Harmful if swallowed, Category 4.	
		H319: Eye irritation. Hazard category 2. H335: Specific Target Organ Toxicity - Single exposure; hazard	
		category. 3. Respiratory tract irritation.	
		H315: Skin irritation. Hazard category 2.	
		H317: Skin Sensitization. Hazard category 1.	
16.3	Precautionary Statements	P261: Avoid breathing vapor.	
		P280: Wear protective gloves and eye protection P305 + P351: If in eyes, rinse cautiously with water for several	
		minutes.	
		P337 + P313: If eye irritation persists, get medical advice/attention.	
		P337 + P313: If eye irritation persists, get medical advice/attention. P302 + P352: If on skin, wash with plenty of soap and water.	
		P337 + P313: If eye irritation persists, get medical advice/attention.	

		attention. P410 + P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.
16.4	Restrictions on use	Embrace Product Line is to be sold to and used by dental professionals only.
16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH)
		US Occupational Safety and Health Administration (OSHA)
		Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH).
		Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency
16.7	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the GHS SDS format and the requirements of Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Specifically Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.