Printing date 14.12.2015

Version: 2 Revision: 14.12.2015 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name: EnaWhite 2.0 • Article number: ECW01R · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. • Application of the substance / the mixture see point 3)  $\cdot$  1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Micerium spa., Via G. Marconi, 83 - 16036 Avegno (GE), Italy, Tel.: +39-0185-7887870, Fax: +39-0185-7887970 · Further information obtainable from: Dr. Eugenio Miceli · 1.4 Emergency telephone number: Poison Control Center San Martino Hospital (Genoa, Italy) Tel.: +39-010-352808 (available 24 h) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 Eye Irrit. 2 H319 Causes serious eye irritation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 · Signal word Warning · Hazard statements H319 Causes serious eye irritation. · Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection. P264 Wash thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. · Labelling of packages where the contents do not exceed 125 ml · Hazard pictograms

- GHS07
- · Signal word Warning
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

*Printing date 14.12.2015* 

Version: 2

Revision: 14.12.2015

Trade name: EnaWhite 2.0

(Contd. of page 1)

#### SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Dental-bleaching based on hydrogen-peroxide

· Dangerous components:			
	glycerol substance with a Community workplace exposure limit	25-50%	
EINECS: 231-765-0	hydrogen peroxide solution Ox. Liq. 1, H271; OSkin Corr. 1A, H314; OAcute Tox. 4, H302; Acute Tox. 4, H332	2,5-10%	
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate 🛞 Ox. Sol. 2, H272	2,5-10%	

• Additional information For the wording of the listed risk phrases refer to section 16.

#### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact
- Immediately rinse with water.
- If skin irritation continues, consult a doctor.
- After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing
- Rinse out mouth and then drink plenty of water.
- Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents
- *CO2*, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents Water with full jet.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### **SECTION 6:** Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- $\cdot$  6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling
   See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GB

*Printing date 14.12.2015* 

Version: 2

Revision: 14.12.2015

(Contd. of page 2)

Trade name: EnaWhite 2.0

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection:

Substance/product can reduce the ignition temperature of flammable substances.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store in refrigerator.
- Information about storage in one common storage facility: Store away from flammable substances. Store away from reducing agents.
- Store away from metals.
- $\cdot$  Further information about storage conditions:
- Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting. *Keep receptacle tightly sealed.*
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

56-81-5 glycerol

WEL Long-term value: 10 mg/m<sup>3</sup>

7722-84-1 hydrogen peroxide solution

WEL Short-term value: 2.8 mg/m<sup>3</sup>, 2 ppm

Long-term value: 1.4 mg/m<sup>3</sup>, 1 ppm

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eves.
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands: Protective gloves.
- · Material of gloves Natural rubber, NR
- **Penetration time of glove material** 0,1 0,2 mm
- Penetration time: 5 min.
- · Eye protection: Tightly sealed goggles.
- · Body protection: Protective work clothing.

(Contd. on page 4)

Printing date 14.12.2015

Version: 2

Revision: 14.12.2015

Trade name: EnaWhite 2.0

(Contd. of page 3)

<b>SECTION 9: Physical and ch</b>	iemicai properiies
9.1 Information on basic physical a	und chemical properties
General Information	
Appearance:	
Form:	Pasty
Colour:	Dark blue
Odour:	Peppermint-like
Odour threshold:	Not determined.
pH-value at 20 °C:	6
Change in condition	
Melting point/Melting range:	undetermined
Boiling point/Boiling range:	100 °C
Flash point:	160 °C
Flammability (solid, gaseous)	Not applicable.
Ignition temperature:	400 °C
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	0,9 Vol %
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1,2 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient (n-octanol/wat	t <b>er):</b> Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
9.2 Other information	No further relevant information available.

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

 Thermal decomposition / conditions to be avoided: Exothermic thermal decomposition To avoid thermal decomposition do not overheat.
 10.3 Possibility of hazardous reactions Reacts with various metals

Reacts with reducing agents

Reacts with catalysts

Acts as an oxidizing agent on organic materials such as wood, paper and fats

• 10.4 Conditions to avoid No further relevant information available.

 $\cdot$  10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

*Printing date 14.12.2015* 

LD-50/dermal

Version: 2

Revision: 14.12.2015

Trade name: EnaWhite 2.0

**SECTION 11: Toxicological information** 

> 2000 mg/kg

· 11.1 Information on toxicological effects

· LD/LC50 values relevant for classification:

• 10.6 Hazardous decomposition products: No dangerous decomposition products known

· Acute toxicity Based on available data, the classification criteria are not met.

rab

(Contd. of page 4)

#### Glycerol oral > 12.600 mg/kg rat dermal > 10.000 mg/kg rbt inhal./4h is above the saturation limit · Primary irritant effect: · Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Causes serious eye irritation. · Respiratory or skin sensitisation Based on available data, the classification criteria are not met. · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) · Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. • Reproductive toxicity Based on available data, the classification criteria are not met. • STOT-single exposure Based on available data, the classification criteria are not met. • STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met. **SECTION 12: Ecological information** · 12.1 Toxicity • Aquatic toxicity: No further relevant information available. · 12.2 Persistence and degradability No further relevant information available. • Other information: The product is easily biodegradable. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available.

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· European waste catalogue

06 13 99 wastes not otherwise specified

- · Uncleaned packaging:
- · Recommendation:

*Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.* 

(Contd. on page 6)

*Printing date 14.12.2015* 

Version: 2

Revision: 14.12.2015

Trade name: EnaWhite 2.0

(Contd. of page 5) Packagings that may not be cleansed are to be disposed of in the same manner as the product. • **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport informa	tion	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class · Label · ADN/R Class:	Void - Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
<ul> <li>14.6 Special precautions for user</li> <li>Danger code (Kemler):</li> <li>EMS Number:</li> </ul>	Not applicable. - -	
• 14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.	
· UN ''Model Regulation'':	Void	

#### **SECTION 15: Regulatory information**


· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I potassium nitrate

· National regulations

· Technical instructions (air):



• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H271 May cause fire or explosion; strong oxidiser.
H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H332 Harmful if inhaled.

· Department issuing MSDS: Micerium S.p.a.

(Contd. on page 7)

GB

Printing date 14.12.2015

Version: 2

Revision: 14.12.2015

### Trade name: EnaWhite 2.0

	(Contd. of page 6)
Contact: Dr. Eugenio Miceli	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European	n Agreement concerning the International
Carriage of Dangerous Goods by Road)	0 0
MDG: International Maritime Code for Dangerous Goods	
ATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
C50: Lethal concentration, 50 percent	
D50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
PvB: very Persistent and very Bioaccumulative	
Dx. Liq. 1: Oxidising Liquids, Hazard Category 1	
Dx. Sol. 2: Oxidising Solids, Hazard Category 2	
Acute Tox. 4: Acute toxicity, Hazard Category 4	
Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A	
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2	
* Data compared to the previous version altered.	