

Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2022

Version number 4 (replaces version 3)

Revision: 21.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name: GC Fujivest II Low Exp Liquid · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Auxillary for dental technology • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax + 32/(0)16/40.26.84msds@gc.dental · Further information obtainable from: Regulatory affairs · 1.4 Emergency telephone number: National poison center for United Kingdom of Great Britain and Northern Ireland: Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383 Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180 Penarth: +44 292 071 55 54 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Warning

• *Hazard-determining components of labelling:* 2-methyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one

· Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

*P272 Contaminated work clothing should not be allowed out of the workplace.* 

(Contd. on page 2)

<sup>-</sup> GB

Printing date 30.11.2022

Version number 4 (replaces version 3)

Revision: 21.10.2022

# Trade name: GC\_Fujivest\_II\_Low\_Exp\_Liquid

(Contd. of page 1)

P280	Wear protective	gloves.
------	-----------------	---------

*P333+P313 If skin irritation or rash occurs: Get medical advice/attention.* 

*P321* Specific treatment (see on this label).

*P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- · vPvB: Not applicable.

## **SECTION 3:** Composition/information on ingredients

#### · 3.2 Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<0.05%
EINECS: 220-120-9 Index number: 613-088-00-6	<i>Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317</i>	
	Specific concentration limit: Skin Sens. 1; H317: $C \ge 0.05 \%$	
EINECS: 220-239-6 Index number: 613-326-00-9	2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 ( $M$ =10); Aquatic Chronic 1, H410 ( $M$ =1); Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	

# **SECTION 4:** First aid measures

- 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

- If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

*Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.* 

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

(Contd. on page 3)

<sup>-</sup> GB

Printing date 30.11.2022

#### Version number 4 (replaces version 3)

Revision: 21.10.2022

Trade name: GC\_Fujivest\_II\_Low\_Exp\_Liquid

# • 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

• Suitable extinguishing agents:

*CO2*, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
- **6.2** *Environmental precautions:* Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil.
- **6.3 Methods and material for containment and cleaning up:** Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Avoid contact with the eyes and skin.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

(Contd. of page 2)

Printing date 30.11.2022

Version number 4 (replaces version 3)

Revision: 21.10.2022

# Trade name: GC\_Fujivest\_II\_Low\_Exp\_Liquid

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- *The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin.*
- Wash hands before breaks and at the end of work.
- Immediately remove all soiled and contaminated clothing
- *Respiratory protection:* Suitable respiratory protective device recommended.
- · Hand protection



Protective gloves

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

### **SECTION 9: Physical and chemical properties**

• 9.1 Information on basic physical and chemical properties · General Information · Physical state Fluid · Colour: According to product specification · Odour: *Characteristic* • Odour threshold: Not determined. • Melting point/freezing point: Undetermined. • Boiling point or initial boiling point and boiling range 100 °C · Flammability Not applicable. · Lower and upper explosion limit · Lower: Not determined. · Upper: Not determined. Not applicable. · Flash point:

(Contd. on page 5)

GB

Printing date 30.11.2022

Version number 4 (replaces version 3)

Revision: 21.10.2022

# Trade name: GC\_Fujivest\_II\_Low\_Exp\_Liquid

	(Contd. of page
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
<i>pH at 20 °C</i>	9.5
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.186 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information Appearance:	
Form:	Fluid
Important information on protection of health a	inu
environment, and on safety.	Due duet is not selfiquiting
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Water:	72.0 %
VOC (EC)	0.0 g/l
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable ga	ses
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 6)

<sup>-</sup> GB

*Printing date 30.11.2022* 

#### Version number 4 (replaces version 3)

Revision: 21.10.2022

Trade name: GC\_Fujivest\_II\_Low\_Exp\_Liquid

(Contd. of page 5)

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

- · LD/LC50 values relevant for classification: No further relevant information available.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Additional toxicological information:
- · Repeated dose toxicity No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- No further relevant information available.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- *Recommendation:* Disposal must be made according to official regulations.

(Contd. on page 7)

GB

*Printing date 30.11.2022* 

Version number 4 (replaces version 3)

Revision: 21.10.2022

(Contd. of page 6)

Trade name: GC\_Fujivest\_II\_Low\_Exp\_Liquid

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informati	ion	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	not regulated	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	not regulated	
14.4 Packing group ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	<b>g to IMO</b> Not applicable.	
UN "Model Regulation":	not regulated	

# SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

· Relevant phrases

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
Classification according to Regulation (EC) No 1272/2008 Calculation method

· Department issuing SDS: Regulatory affairs

· Contact: msds@gc.dental

(Contd. on page 8)

<sup>-</sup> GB

Printing date 30.11.2022

#### *Version number 4 (replaces version 3)*

Revision: 21.10.2022

(Contd. of page 7)

GB

# Trade name: GC Fujivest II Low Exp Liquid

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 · Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) • \* Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.