

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2021

Version number 4

Revision: 17.06.2021

· 1.1 Product identifier	
• Trade name: PalaXpress powder	
• 1.2 Relevant identified uses of the substance or mixture a No further relevant information available.	and uses advised against
 Application of the substance / the mixture Manufact 	ture of dental prothesis
• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Kulzer GmbH Leipziger Straße 2, 63450 Hanau (Germany)	Tel.: +49 (0)800 4372
· Informing department: E-Mail: msds@kulzer-dental.com · 1.4 Emergency telephone number: Emergency CONTACT	
SECTION 2: Hazards identification	
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/20 Aquatic Chronic 2 H411 Toxic to aquatic life with long lasti 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 	
The product is classified and labelled according to the CLF • Hazard pictograms	^{>} regulation.
GHS09	
 Signal word Void Hazard statements H411 Toxic to aquatic life with long lasting effects. Precautionary statements P273 Avoid release to the environment. 	
 Additional information: Contains methyl methacrylate, dibenzoyl peroxide. May pro 2.3 Other hazards - 	oduce an allergic reaction.
 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 	
	lients

 Dangerous components:

 CAS: 72846-00-5
 1-Benzyl-5-phenylbarbitursäure
 ≥0-≤5%

 EINECS: 276-940-2
 Acute Tox. 4, H302; Eye Irrit. 2, H319
 ≥0-≤5%

(Contd. on page 2)

GB



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2021

Version number 4

Revision: 17.06.2021

Trade name: PalaXpress powder

	(C	ontd. of page 1)
CAS: 80-62-6	methyl methacrylate	≥0.1-<1%
EINECS: 201-297-1	Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 94-36-0	dibenzoyl peroxide	<i>≥</i> 0.25-<1%
EINECS: 202-327-6	Self-react. B, H241; Org. Perox. B, H241 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10)	
	Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10)	
	Eye Irrit. 2, H319; Skin Sens. 1, H317	
· Additional infor	mation For the wording of the listed hazard phrases refer to section	16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information No special measures required.

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact instantly wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing

Rinse out mouth and then drink plenty of water.

- In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

- CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
 - Protective equipment: No special measures required.
 - · Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with eyes and skin.

- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- 6.3 Methods and material for containment and cleaning up: Collect mechanically.
- · 6.4 Reference to other sections
- No dangerous materials are released.

See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special measures required.

Information about protection against explosions and fires: No special measures required.

(Contd. on page 3) GB



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2021

Version number 4

Revision: 17.06.2021

(Contd. of page 2)

Trade name: PalaXpress powder

- 7.2 Conditions for safe storage, including any incompatibilities • Storage
 - **Requirements to be met by storerooms and containers:** No special requirements.
 - · Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Store cool (not above 25 °C).

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Additional information about design of technical systems: No further data; see item 7. Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

· DNELs

80-62-6 methyl methacrylate

Dermal worker industr., I.te., syst. 74.3 mg/Kg/d (human) Inhalative worker industr., I.te., syst. 210 mg/m3 (human)

94-36-0 dibenzoyl peroxide

94-30-0 u	94-30-0 dibenzoyi peroxide		
Oral	ge.pop., l.te, syst.	1.65 mg/Kg (nd)	
Dermal	worker industr., l.te., syst.	6.6 mg/Kg/d (nd)	
	ge.pop., l.te, syst.	3.3 mg/Kg/d (nd)	
Inhalative	worker industr., l.te., syst.	11.75 mg/m3 (nd)	
	ge.pop., l.te, syst.	2.9 mg/m3 (nd)	
· .	· PNECs		

80-62-6 methyl methacrylate

freshwater 0.94 mg/l (aqua)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

• Breathing equipment: Not necessary if room is well-ventilated.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

recommended • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2021

Version number 4

Revision: 17.06.2021

Trade name: PalaXpress powder

(Contd. of page 3) • Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR • **Eye protection:** Safety glasses • **Body protection:** Light weight protective clothing

9.1 Information on basic physical and • General Information	chemical properties
Appearance: Form:	Powder
· Colour:	According to product specification
· Smell:	Odourless
Odour threshold:	Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/freezing point: Initial boiling point and boiling r 	Not determined range: Not determined
Flash point:	Not applicable
Inflammability (solid, gaseous)	Not determined.
Decomposition temperature:	Not determined.
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation explosive powder/air mixtures is possible.
· Critical values for explosion:	
Lower:	Not determined.
· Upper:	Not determined.
· Steam pressure:	Not applicable.
· Density	Not determined
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
 Solubility in / Miscibility with Water: 	Insoluble
· Partition coefficient: n-octanol/wate	
Viscosity:	Notannliabla
· dynamic: · kinematic:	Not applicable. Not applicable.
· Solvent content:	
· Solids content:	100.0 %

GB



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2021

Version number 4

Revision: 17.06.2021

Trade name: PalaXpress powder

· 9.2 Other information

No further relevant information available.

(Contd. of page 4)

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
 - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

72846-0	00-5 1-Benz	zyl-5-phenylbarbitursäure	
Oral	LD50	500 mg/kg (rat) (OECD 423)	

80-62-6 methyl methacrylate

Oral LD50 ~7,900 mg/kg (rat)

LD50 >5,000 mg/kg (rab) (OECD 402) Dermal

Inhalative LC50/4 h 29.8 mg/l (rat)

94-36-0 dibenzoyl peroxide

Oral LD0 >2,000 mg/kg (mouse) (OECD 401)

24.3 ppm (rat) (OECD 403) Inhalative LC0/4h

Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation
- Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- Based on available data, the classification criteria are not met.
- Additional toxicological information:
 - CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - Germ cell mutagenicity Based on available data, the classification criteria are not met. • Carcinogenicity Based on available data, the classification criteria are not met. • Reproductive toxicity Based on available data, the classification criteria are not met.

 - STOT-single exposure Based on available data, the classification criteria are not met.
 - STOT-repeated exposure Based on available data, the classification criteria are not met.
 - · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:

80-62-6 methyl methacrylate

EC50/48h 69 mg/l (daphnia)

LC50/96h 191 mg/l (fish)

(Contd. on page 6) GB



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2021

Version number 4

Revision: 17.06.2021

(Contd. of page 5)

Trade name: PalaXpress powder

94-36-0 dibenzoyl peroxide

EC50/72h >2 mg/l (algae)

EC50/48h >2 mg/l (daphnia)

LC50/96h >2 mg/l (fish)

12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
 - Additional ecological information: General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

• 12.5 Results of PBT and vPvB assessment • PBT: Not applicable.

• **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

SECTION 14: Transport information	
14.1 UN-Number ADR, IMDG, IATA	UN3077
· 14.2 UN proper shipping name	
ADR	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoy peroxide)
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoy peroxide), MARINE POLLUTANT
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoy peroxide)
	(Contd. on page



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2021

Version number 4

Revision: 17.06.2021

Trade name: PalaXpress powder

	(Contd. of pag
 14.3 Transport hazard class(es) 	
ADR	
· Class	9 (M7) Miscellaneous dangero substances and articles.
· Label	9
· IMDG, IATA	
Class	9 Miscellaneous dangerous substanc and articles.
· Label	9
· 14.4 Packing group · ADR, IMDG, IATA	<i>III</i>
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· Special marking (ADD):	Symbol (fish and tree) Symbol (fish and tree)
· Special marking (ADR): · Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substand
	and articles.
· Kemler Number: · EMS Number:	90 F-A,S-F
· Stowage Category	A
Stowage Code	SW23 When transported in BK3 bl container, see 7.6.2.12 and 7.7.3.9.
· 14.7 Transport in bulk according to Annex	
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
ADR	
· Limited quantities (LQ)	5 kg Code: E1
• Excepted quantities (EQ)	Code: E1 Maximum net quantity per inn
	packaging: 30 g
	Maximum net quantity per out packaging: 1000 g
· Transport category	3
• Tunnel restriction code	
	5.6.
Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1
Excepted quantities (EQ)	Maximum net quantity per inn packaging: 30 g
	(Contd. on pag



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2021

.

Version number 4

Revision: 17.06.2021

(Contd. of page 7)

Trade name: PalaXpress powder

Maximum net quantity per outer packaging: 1000 g

UN "Model Regulation":

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DIBENZOYL PEROXIDE), 9, III

SECTION	15: Regulatory information
15 1 Safaty	hoalth and onvironmontal rogulation

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

• Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t • Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information
These data are based on our present knowledge. However, they shall not constitute a guarantee for
any specific product features and shall not establish a legally valid contractual relationship.
Relevant phrases
H225 Highly flammable liquid and vapour.
H241 Heating may cause a fire or explosion.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
Abbreviations and acronyms:
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreemen
Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Lig. 2: Flammable liguids – Category 2
Self-react. B: Self-reactive substances and mixtures – Type B
Org. Perox. B: Organic peroxides – Type B
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
* * Data compared to the previous version altered.