## Material Safety Data Sheet

Acc. to 91/155/EEC adjustment acc. to Directive 2001/58/EC Hoffmann Dental Manufaktur GmbH

Reviewed on: 18 June 2012

| 1. | Identification of substance and manufacturer's name   |   |  |                                |  |  |   |                             |      |  |  |  |
|----|---|---|--|--------------------------------|--|--|---|-----------------------------|------|--|--|--|
|    | Product details/Trade name:   |   |  |                                |  |  |   |                             |      |  |  |  |
|    | Wangenheimstr. 37/39, D-14193 Berlin           Telephone: +49 (0) 30 / 82 00 99 0           Fax: +49 (0) 30 / 82 28 145   |   |  |                                |  |  |   |                             |      |  |  |  |
|    |   |   |  |                                |  |  | Information department/Emergency information:<br>Quality assurance department<br>e-mail: sicherheit@hoffmann-dental.com |                             |      |  |  |  |
|    |   |   |  |                                |  |  | 2.  | Composition/Data on ingredi | ents |  |  |  |
|    |   | Chemical characterization:<br>Description: Mixture of below-mentioned substances with innocuous additions.<br>Hazardous ingredients:  |  |                                |  |  |   |                             |      |  |  |  |
|    | CAS: 1314-13-2<br>EINECS: 215-222-5   | Zinc Oxide  | Warning; H411<br>N; R 51/53                      | 10 – 15 %                      |  |  |   |                             |      |  |  |  |
|    | CAS: 7664-38-2<br>EINECS: 231-633-2   | Ortho-Phosphoric Acid   | Danger; H314<br>C; R 34                          | > 50 %                         |  |  |   |                             |      |  |  |  |
| 3. | Hazards identification  |   |  |                                |  |  |   |                             |      |  |  |  |
|    | Hazard designation:       N       Hazardous to the environment         C       Corrosive         Special danger warning for human and environment:       The product has to be labelled due to the calculation procedure of the "EU-Directive of the General Classification of Preparations" in the latest valid version.         H314:       Causes severe skin burns and eye damage.         H411:       Toxic to aquatic life with long lasting effects.         R 34:       Causes burns         R 51/53:       Toxic to aquatic organisms may cause long-term harmful effects in the waters.         Classification system:       The classification is in compliance with the current EU-lists, but is also completed with details given by technical literature and company. |   |  |                                |  |  |   |                             |      |  |  |  |
| 4. | First aid measures  |   |  |                                |  |  |   |                             |      |  |  |  |
|    | General information:<br>- After skin contact:<br>- After eye contact:   | Remove contaminated clothes in<br>Remove with soap by washing u<br>Immediately flush opened eye u<br>(at least 10 min.), get prompt n | under the running wate<br>nder running water for |                                |  |  |   |                             |      |  |  |  |
|    | - After swallowing:   | Drink plenty of water, do not ind physician immediately.  |  | of perforation), and consult a |  |  |   |                             |      |  |  |  |
|    | - After inhaling:   | Not applicable.   |  |                                |  |  |   |                             |      |  |  |  |
| 5. | Fire fighting measures  |   |  |                                |  |  |   |                             |      |  |  |  |
|    | Suitable extinguishing agent<br>Special protective equipmer   | ••  | are required                                     |                                |  |  |   |                             |      |  |  |  |

## Material Safety Data Sheet Acc. to 91/155/EEC adjustment acc. to Directive 2001/58/EC Hoffmann Dental Manufaktur GmbH


| Accidental release measures   |  |
|---|--|
|   |  |
| Person-related safety precautions:  | Wear personal protective clothing.   |
| Environmental precautions:  | Inform responsible authorities in case of spillage into  |
| Methods of cleaning up:   | waters or sewage system. Dilute with plenty of water.<br>Absorb with liquid-binding material (chemical binders; use cellulose for  |
| methous of cleaning up.   | small amounts ). Use neutralizing agent.   |
| Additional information:   | See chapter 8 for information about personal protective equipment.   |
|   | See section 13 for disposal information.   |
|   |  |
| Handling and storage  |  |
| Handling:   | The product is only for dental use.  |
| - Information about safe handling:  | Keep containers tightly closed.  |
| - Information about protection  |  |
| against explosion and fire:   | No special measures are required.  |
| Starage   |  |
| Storage:<br>- Information about storage:  | Store dry and tightly placed in original container   |
| - Information about storage:  | Store dry and tightly closed in original container.  |
| one common storage facility:  | Not required.  |
| - Requirements for storage rooms:   | No special requirements.   |
| Exposure controls and personal protection   | n  |
|   |  |
| Exposure controls and personal protection <b>Data on limiting values that require more</b>  |  |
| Data on limiting values that require mo   |  |
| Data on limiting values that require mo   | nitoring at the workplace:<br>It require monitoring at the workplace   |
| Data on limiting values that require mon<br>Ingredients with limiting values that   | nitoring at the workplace:<br>It require monitoring at the workplace   |
| Data on limiting values that require monormalized         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m <sup>3</sup>  | nitoring at the workplace:<br>at require monitoring at the workplace<br>Acid (EU-No.: 231-633-2)<br>EU   |
| Data on limiting values that require monormalized         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m³         Technical protective measures: Not requirements  | nitoring at the workplace:<br>at require monitoring at the workplace<br>Acid (EU-No.: 231-633-2)<br>EU   |
| Ingredients with limiting values that require monormalized in the second state of the second st | nitoring at the workplace:<br>at require monitoring at the workplace<br>Acid (EU-No.: 231-633-2)<br>EU   |
| Data on limiting values that require more         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m³         Technical protective measures: Not required         Personal protective equipment:         Respiratory protection: Not required.   | nitoring at the workplace:<br>at require monitoring at the workplace<br>Acid (EU-No.: 231-633-2)<br>EU<br>uired.   |
| Data on limiting values that require more         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m³         Technical protective measures: Not required         Personal protective equipment:         Respiratory protection: Not required.         Skin protection: Wear suitable protective   | nitoring at the workplace:<br>Acid (EU-No.: 231-633-2)<br>EU<br>uired.<br>e gloves; the glove material has to be impermeable and resistant to the  |
| Data on limiting values that require more         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m³         Technical protective measures: Not required         Personal protective equipment:         Respiratory protection: Not required.         Skin protection: Wear suitable protective product/the substance/the preparation.  | nitoring at the workplace:<br>Acid (EU-No.: 231-633-2)<br>EU<br>uired.<br>e gloves; the glove material has to be impermeable and resistant to the<br>Due to absent tests no recommendations about the glove material can be given f  |
| Data on limiting values that require more         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m³         Technical protective measures: Not required         Personal protective equipment:         Respiratory protection: Not required.         Skin protection: Wear suitable protective product/the substance/the preparation. D         the product/the preparation/the chemica  | nitoring at the workplace:         at require monitoring at the workplace         Acid       (EU-No.: 231-633-2)         EU         uired.         e gloves; the glove material has to be impermeable and resistant to the Due to absent tests no recommendations about the glove material can be given for a material should be in consideration of the glove material should be in consideration should be in consideratin should be in consideration should be in co |
| Data on limiting values that require more         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m³         Technical protective measures: Not required         Personal protective equipment:         Respiratory protection: Not required.         Skin protection: Wear suitable protective product/the substance/the preparation. D         the product/the preparation/the chemica         breakthrough time, kinds of permeation   | nitoring at the workplace:         at require monitoring at the workplace         Acid       (EU-No.: 231-633-2)         EU         uired.         e gloves; the glove material has to be impermeable and resistant to the         Due to absent tests no recommendations about the glove material can be given for any the selection of the glove material should be in consideration of the and the degradation.   |
| Data on limiting values that require more         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m³         Technical protective measures: Not required         Personal protective equipment:         Respiratory protection: Not required.         Skin protection: Wear suitable protective product/the substance/the preparation. D         the product/the preparation/the chemica         breakthrough time, kinds of permeation         Material of gloves: The selection of the  | nitoring at the workplace:         at require monitoring at the workplace         Acid       (EU-No.: 231-633-2)         EU         uired.         e gloves; the glove material has to be impermeable and resistant to the         Due to absent tests no recommendations about the glove material can be given for and the degradation.         e suitable gloves does not only depend on material but also on further qual   |
| Data on limiting values that require more         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m³         Technical protective measures: Not required         Personal protective equipment:         Respiratory protection: Not required.         Skin protection: Wear suitable protective product/the substance/the preparation. D         the product/the preparation/the chemica breakthrough time, kinds of permeation         Material of gloves: The selection of the characteristics and varies from manuface resistance of the glove material can not  | nitoring at the workplace:         Acid       (EU-No.: 231-633-2)         EU         uired.         e gloves; the glove material has to be impermeable and resistant to the Due to absent tests no recommendations about the glove material can be given fl mixture. The selection of the glove material should be in consideration of the and the degradation.         e suitable gloves does not only depend on material but also on further qual truer to manufacturer. As the product is a preparation of several substances, t be calculated in advance and has to be checked prior to the application. Suitable  |
| Data on limiting values that require more         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m³         Technical protective measures: Not required.         Personal protective equipment:         Respiratory protection: Not required.         Skin protection: Wear suitable protective product/the substance/the preparation. D         the product/the preparation/the chemica breakthrough time, kinds of permeation         Material of gloves: The selection of the characteristics and varies from manuface resistance of the glove material can not glove material is e. g. butyl rubber, fluctuation   | nitoring at the workplace:         Acid       (EU-No.: 231-633-2)         EU         uired.         e gloves; the glove material has to be impermeable and resistant to the         Due to absent tests no recommendations about the glove material can be given fl         I mixture. The selection of the glove material should be in consideration of the         and the degradation.         e suitable gloves does not only depend on material but also on further qual         uturer to manufacturer. As the product is a preparation of several substances, t         be calculated in advance and has to be checked prior to the application. Suitat         brocarbon rubber (Viton), natural rubber (Latex). For the permanent contact of  |
| Data on limiting values that require more         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m³         Technical protective measures: Not required.         Personal protective equipment:         Respiratory protection: Not required.         Skin protection: Wear suitable protective product/the substance/the preparation. D         the product/the preparation/the chemica breakthrough time, kinds of permeation         Material of gloves: The selection of the characteristics and varies from manuface resistance of the glove material can not glove material is e. g. butyl rubber, fluc maximum of 15 minutes gloves made of   | nitoring at the workplace:         Acid       (EU-No.: 231-633-2)         EU         uired.         e gloves; the glove material has to be impermeable and resistant to the         Due to absent tests no recommendations about the glove material can be given fl         I mixture. The selection of the glove material should be in consideration of the         and the degradation.         e suitable gloves does not only depend on material but also on further qual         uturer to manufacturer. As the product is a preparation of several substances, t         be calculated in advance and has to be checked prior to the application. Suitat         procarbon rubber (Viton), natural rubber (Latex). For the permanent contact of  |
| Data on limiting values that require more         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m³         Technical protective measures: Not required         Personal protective equipment:         Respiratory protection: Not required.         Skin protection: Wear suitable protective product/the substance/the preparation. D         the product/the preparation/the chemica         breakthrough time, kinds of permeation         Material of gloves: The selection of the characteristics and varies from manuface resistance of the glove material can not glove material is e. g. butyl rubber, fluc maximum of 15 minutes gloves made of Penetration time of glove material: The  | nitoring at the workplace:         Acid       (EU-No.: 231-633-2)         EU         uired.         e gloves; the glove material has to be impermeable and resistant to the         Due to absent tests no recommendations about the glove material can be given fl         I mixture. The selection of the glove material should be in consideration of the         and the degradation.         e suitable gloves does not only depend on material but also on further qual         uturer to manufacturer. As the product is a preparation of several substances, t         be calculated in advance and has to be checked prior to the application. Suitat         procarbon rubber (Viton), natural rubber (Latex). For the permanent contact of  |
| Data on limiting values that require mode         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m³         Technical protective measures: Not required.         Personal protective equipment:         Respiratory protection: Not required.         Skin protection: Wear suitable protective product/the substance/the preparation. D         the product/the preparation/the chemica breakthrough time, kinds of permeation         Material of gloves: The selection of the characteristics and varies from manuface resistance of the glove material can not glove material is e. g. butyl rubber, fluc maximum of 15 minutes gloves made of Penetration time of glove material: The gloves and has to be observed.  | it require monitoring at the workplace         Acid       (EU-No.: 231-633-2)         EU         uired.         e gloves; the glove material has to be impermeable and resistant to the Due to absent tests no recommendations about the glove material can be given fl mixture. The selection of the glove material should be in consideration of the and the degradation.         e suitable gloves does not only depend on material but also on further qual truer to manufacturer. As the product is a preparation of several substances, t be calculated in advance and has to be checked prior to the application. Suitab procarbon rubber (Viton), natural rubber (Latex). For the permanent contact of PVC or PE are suitable.   |
| Data on limiting values that require more         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m³         Technical protective measures: Not required.         Personal protective equipment:         Respiratory protection: Not required.         Skin protection: Wear suitable protective product/the substance/the preparation. D         the product/the preparation/the chemica breakthrough time, kinds of permeation         Material of gloves: The selection of the characteristics and varies from manuface resistance of the glove material can not glove material is e. g. butyl rubber, fluc maximum of 15 minutes gloves made of Penetration time of glove material: The gloves and has to be observed.  | it require monitoring at the workplace         Acid       (EU-No.: 231-633-2)         EU         uired.         e gloves; the glove material has to be impermeable and resistant to the         Due to absent tests no recommendations about the glove material can be given f         I mixture. The selection of the glove material should be in consideration of the         and the degradation.         e suitable gloves does not only depend on material but also on further quality         currer to manufacturer. As the product is a preparation of several substances, the         be calculated in advance and has to be checked prior to the application. Suitable         orocarbon rubber (Viton), natural rubber (Latex). For the permanent contact of         FVC or PE are suitable.         exact breakthrough time is to be obtained from the manufacturer of the protecti         side protection are recommended.   |
| Data on limiting values that require more         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m³         Technical protective measures: Not required.         Personal protective equipment:         Respiratory protection: Not required.         Skin protection: Wear suitable protective product/the substance/the preparation. D         the product/the preparation/the chemica breakthrough time, kinds of permeation         Material of gloves: The selection of the characteristics and varies from manuface resistance of the glove material can not glove material is e. g. butyl rubber, fluc maximum of 15 minutes gloves made of Penetration time of glove material: The gloves and has to be observed.         Eye protection: Protective goggles with s Body protection: Lightweight protective  | it require monitoring at the workplace         Acid       (EU-No.: 231-633-2)         EU         uired.         e gloves; the glove material has to be impermeable and resistant to the         Due to absent tests no recommendations about the glove material can be given for         I mixture. The selection of the glove material should be in consideration of the         and the degradation.         e suitable gloves does not only depend on material but also on further quali         currer to manufacturer. As the product is a preparation of several substances, the         be calculated in advance and has to be checked prior to the application. Suitable         procarbon rubber (Viton), natural rubber (Latex). For the permanent contact of         PVC or PE are suitable.         exact breakthrough time is to be obtained from the manufacturer of the protection         side protection are recommended.         clothing.   |
| Data on limiting values that require more         Ingredients with limiting values that         CAS 7664-38-2 Ortho-Phosphoric A         TLV       1 mg/m³         Technical protective measures: Not required.         Personal protective equipment:         Respiratory protection: Not required.         Skin protection: Wear suitable protective product/the substance/the preparation. D         the product/the preparation/the chemica breakthrough time, kinds of permeation         Material of gloves: The selection of the characteristics and varies from manuface resistance of the glove material can not glove material is e. g. butyl rubber, fluc maximum of 15 minutes gloves made of Penetration time of glove material: The gloves and has to be observed.  | nitoring at the workplace:         Acid       (EU-No.: 231-633-2)         EU         uired.         e gloves; the glove material has to be impermeable and resistant to the         Due to absent tests no recommendations about the glove material can be given for         I mixture. The selection of the glove material should be in consideration of the         and the degradation.         e suitable gloves does not only depend on material but also on further quali         turer to manufacturer. As the product is a preparation of several substances, the         be calculated in advance and has to be checked prior to the application. Suitabiorocarbon rubber (Viton), natural rubber (Latex). For the permanent contact of         e YVC or PE are suitable.         exact breakthrough time is to be obtained from the manufacturer of the protection         side protection are recommended.         clothing.         es:  |

Material Safety Data Sheet Acc. to 91/155/EEC adjustment acc. to Directive 2001/58/EC Hoffmann Dental Manufaktur GmbH

|    | General information:  |   |  |  |  |
|----|---|---|--|--|--|
|    |   | iquid   |  |  |  |
|    |   | colourless  |  |  |  |
|    |   | odourless   |  |  |  |
|    | Change in state   | 100.00  |  |  |  |
|    |   | > 100 °C  |  |  |  |
|    |   | Not determined  |  |  |  |
|    |   | Not applicable  |  |  |  |
|    | pH-value: 1   | . – 2   |  |  |  |
|    |   | Product does not self ignite  |  |  |  |
|    | Danger of explosion: P  | Product is not explosive  |  |  |  |
|    | Density at 20 °C: 1   | .,8 g/cm <sup>3</sup>   |  |  |  |
|    | Solubility in water: F  | ully miscible   |  |  |  |
|    | Calvert aantont.  |   |  |  |  |
|    | Solvent content:<br>Organic solvents: 0   | 0,0 %   |  |  |  |
|    |   | 25 %  |  |  |  |
|    |   | 0,0 %   |  |  |  |
|    |   | .9 %  |  |  |  |
|    |   |   |  |  |  |
| 0. | Stability and reactivity  |   |  |  |  |
|    |   |   |  |  |  |
|    | Conditions to be avoided:   | No decomposition according to regulations.  |  |  |  |
|    | Hazardous reactions:  | No hazardous reactions are known.   |  |  |  |
|    | Hazardous decomposition products:   | No hazardous decomposition products are known.  |  |  |  |
|    |   |   |  |  |  |
| 1. | Toxicological information   |   |  |  |  |
|    | Values given below refer to basic substance Phosphoric Acid.  |   |  |  |  |
|    | Acute toxicity: In our experience the product does not cause any noxious effects when used and handled according to regulations.  |   |  |  |  |
|    | ·   |   |  |  |  |
|    | LD50 (dermal rabbit):   | 2740 mg/kg (referring to pure substance)  |  |  |  |
|    | LD50 (dermal rabbit):   | 2740 mg/kg (referring to pure substance)<br>1530 mg/kg (referring to pure substance)  |  |  |  |
|    | LD50 (dermal rabbit):<br>LDLo (oral, rat):  | 1530 mg/kg (referring to pure substance)  |  |  |  |
|    | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat  | 1530 mg/kg (referring to pure substance)<br>:> $> 850$ mg/ I (referring to pure substance)  |  |  |  |
|    | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper   | 1530 mg/kg (referring to pure substance)<br>t): > 850 mg/ I (referring to pure substance)<br>iments:  |  |  |  |
|    | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):  | 1530 mg/kg (referring to pure substance)<br>t): > 850 mg/ I (referring to pure substance)<br>iments:<br>Corrosive effect  |  |  |  |
|    | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper   | 1530 mg/kg (referring to pure substance)<br>t): > 850 mg/ I (referring to pure substance)<br>iments:  |  |  |  |
|    | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):<br>From subacute to chronic toxicity :   | 1530 mg/kg (referring to pure substance)<br>:): > 850 mg/ I (referring to pure substance)<br>iments:<br>Corrosive effect<br>Corrosive effect  |  |  |  |
|    | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):  | 1530 mg/kg (referring to pure substance)<br>t): > 850 mg/ I (referring to pure substance)<br>iments:<br>Corrosive effect  |  |  |  |
|    | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):<br>From subacute to chronic toxicity :   | 1530 mg/kg (referring to pure substance)<br>:): > 850 mg/ I (referring to pure substance)<br>iments:<br>Corrosive effect<br>Corrosive effect  |  |  |  |
|    | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):<br>From subacute to chronic toxicity :<br>Sensitisation, <u>Research on human</u> :  | 1530 mg/kg (referring to pure substance)<br>:): > 850 mg/ I (referring to pure substance)<br>iments:<br>Corrosive effect<br>Corrosive effect<br>No sensitisation effect   |  |  |  |
|    | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):<br>From subacute to chronic toxicity :<br>Sensitisation, <u>Research on human</u> :<br>Mutagenicity, Ames-Test:  | 1530 mg/kg (referring to pure substance)<br>:): > 850 mg/ I (referring to pure substance)<br>iments:<br>Corrosive effect<br>Corrosive effect<br>No sensitisation effect   |  |  |  |
|    | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):<br>From subacute to chronic toxicity :<br>Sensitisation, <u>Research on human</u> :<br>Mutagenicity, Ames-Test:<br>Irritation effects on human:  | 1530 mg/kg (referring to pure substance)<br>:): > 850 mg/ I (referring to pure substance)<br>iments:<br>Corrosive effect<br>Corrosive effect<br>No sensitisation effect<br>Negative; no mutagenic effect.   |  |  |  |
|    | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):<br>From subacute to chronic toxicity :<br>Sensitisation, <u>Research on human</u> :<br>Mutagenicity, Ames-Test:<br>Irritation effects on human:<br>- Swallowing:   | 1530 mg/kg (referring to pure substance)<br>:> > 850 mg/ I (referring to pure substance)<br>iments:<br>Corrosive effect<br>Corrosive effect<br>No sensitisation effect<br>Negative; no mutagenic effect.<br>Strong corrosive effect on mouth and throat.  |  |  |  |
| 2. | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):<br>From subacute to chronic toxicity :<br>Sensitisation, <u>Research on human</u> :<br>Mutagenicity, Ames-Test:<br>Irritation effects on human:<br>- Swallowing:<br>- Skin:  | 1530 mg/kg (referring to pure substance)<br>:> > 850 mg/ I (referring to pure substance)<br>iments:<br>Corrosive effect<br>Corrosive effect<br>No sensitisation effect<br>Negative; no mutagenic effect.<br>Strong corrosive effect on mouth and throat.<br>Corrosive effect.   |  |  |  |
| 2. | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):<br>From subacute to chronic toxicity :<br>Sensitisation, <u>Research on human</u> :<br>Mutagenicity, Ames-Test:<br>Irritation effects on human:<br>- Swallowing:<br>- Skin:<br>- Eye:<br>Ecological information  | 1530 mg/kg (referring to pure substance)<br>:> > 850 mg/ I (referring to pure substance)<br>iments:<br>Corrosive effect<br>Corrosive effect<br>No sensitisation effect<br>Negative; no mutagenic effect.<br>Strong corrosive effect on mouth and throat.<br>Corrosive effect.   |  |  |  |
| 2. | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):<br>From subacute to chronic toxicity :<br>Sensitisation, <u>Research on human</u> :<br>Mutagenicity, Ames-Test:<br>Irritation effects on human:<br>- Swallowing:<br>- Skin:<br>- Eye:<br>Ecological information<br>Referring to main substance:  | 1530 mg/kg (referring to pure substance)<br>:): > 850 mg/ I (referring to pure substance)<br>iments:<br>Corrosive effect<br>Corrosive effect<br>No sensitisation effect<br>Negative; no mutagenic effect.<br>Strong corrosive effect on mouth and throat.<br>Corrosive effect.<br>Strong corrosive effect.  |  |  |  |
| 2. | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):<br>From subacute to chronic toxicity :<br>Sensitisation, <u>Research on human</u> :<br>Mutagenicity, Ames-Test:<br>Irritation effects on human:<br>- Swallowing:<br>- Skin:<br>- Eye:<br>Ecological information<br>Referring to main substance:<br>Biological decomposition:   | <ul> <li>1530 mg/kg (referring to pure substance)</li> <li>t): &gt; 850 mg/ I (referring to pure substance)</li> <li>iments: <ul> <li>Corrosive effect</li> <li>Corrosive effect</li> </ul> </li> <li>No sensitisation effect <ul> <li>No sensitisation effect</li> <li>Negative; no mutagenic effect.</li> </ul> </li> <li>Strong corrosive effect on mouth and throat.</li> <li>Corrosive effect.</li> </ul> <li>Is not determined.</li>  |  |  |  |
| 2. | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):<br>From subacute to chronic toxicity :<br>Sensitisation, <u>Research on human</u> :<br>Mutagenicity, Ames-Test:<br>Irritation effects on human:<br>- Swallowing:<br>- Skin:<br>- Eye:<br>Ecological information<br>Referring to main substance:  | <ul> <li>1530 mg/kg (referring to pure substance)</li> <li>t): &gt; 850 mg/ I (referring to pure substance)</li> <li>iments: <ul> <li>Corrosive effect</li> <li>Corrosive effect</li> </ul> </li> <li>No sensitisation effect</li> <li>Negative; no mutagenic effect.</li> <li>Strong corrosive effect on mouth and throat.</li> <li>Corrosive effect.</li> <li>Strong corrosive effect.</li> </ul> <li>Is not determined. <ul> <li>Quantitative data about ecological effects are not available for this</li> </ul> </li>                                  |  |  |  |
| 2. | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):<br>From subacute to chronic toxicity :<br>Sensitisation, <u>Research on human</u> :<br>Mutagenicity, Ames-Test:<br>Irritation effects on human:<br>- Swallowing:<br>- Skin:<br>- Eye:<br>Ecological information<br>Referring to main substance:<br>Biological decomposition:<br>Ecotoxicological information:                        | <ul> <li>1530 mg/kg (referring to pure substance)</li> <li>t): &gt; 850 mg/ I (referring to pure substance)</li> <li>iments: Corrosive effect Corrosive effect</li> <li>No sensitisation effect Negative; no mutagenic effect.</li> <li>Strong corrosive effect on mouth and throat. Corrosive effect.</li> <li>Strong corrosive effect.</li> <li>Is not determined. Quantitative data about ecological effects are not available for this product.</li> </ul>  |  |  |  |
| 2. | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):<br>From subacute to chronic toxicity :<br>Sensitisation, <u>Research on human</u> :<br>Mutagenicity, Ames-Test:<br>Irritation effects on human:<br>- Swallowing:<br>- Skin:<br>- Eye:<br>Ecological information<br>Referring to main substance:<br>Biological decomposition:   | <ul> <li>1530 mg/kg (referring to pure substance)</li> <li>t): &gt; 850 mg/ I (referring to pure substance)</li> <li>iments: Corrosive effect Corrosive effect</li> <li>No sensitisation effect Negative; no mutagenic effect.</li> <li>Strong corrosive effect on mouth and throat. Corrosive effect.</li> <li>Strong corrosive effect.</li> <li>Is not determined.</li> <li>Quantitative data about ecological effects are not available for this product. Very toxic to aquatic organisms. May cause long-term harmful effects in</li> </ul>             |  |  |  |
| 2. | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):<br>From subacute to chronic toxicity :<br>Sensitisation, <u>Research on human</u> :<br>Mutagenicity, Ames-Test:<br>Irritation effects on human:<br>- Swallowing:<br>- Skin:<br>- Eye:<br>Ecological information<br>Referring to main substance:<br>Biological decomposition:<br>Ecotoxicological information:<br>Biological effects: | <ul> <li>1530 mg/kg (referring to pure substance)</li> <li>b): &gt; 850 mg/ I (referring to pure substance)</li> <li>iments: Corrosive effect Corrosive effect</li> <li>No sensitisation effect Negative; no mutagenic effect.</li> <li>Strong corrosive effect on mouth and throat. Corrosive effect.</li> <li>Strong corrosive effect.</li> <li>Is not determined.</li> <li>Quantitative data about ecological effects are not available for this product. Very toxic to aquatic organisms. May cause long-term harmful effects in the waters.</li> </ul> |  |  |  |
| 2. | LD50 (dermal rabbit):<br>LDLo (oral, rat):<br>LC50/4h (relating to inhalation, rat<br>Specific symptoms in animal exper<br>Test for eye irritation (rabbit):<br>Test for skin irritation (rabbit):<br>From subacute to chronic toxicity :<br>Sensitisation, <u>Research on human</u> :<br>Mutagenicity, Ames-Test:<br>Irritation effects on human:<br>- Swallowing:<br>- Skin:<br>- Eye:<br>Ecological information<br>Referring to main substance:<br>Biological decomposition:<br>Ecotoxicological information:                        | <ul> <li>1530 mg/kg (referring to pure substance)</li> <li>t): &gt; 850 mg/ I (referring to pure substance)</li> <li>iments: Corrosive effect Corrosive effect</li> <li>No sensitisation effect Negative; no mutagenic effect.</li> <li>Strong corrosive effect on mouth and throat. Corrosive effect.</li> <li>Strong corrosive effect.</li> <li>Is not determined.</li> <li>Quantitative data about ecological effects are not available for this product. Very toxic to aquatic organisms. May cause long-term harmful effects in</li> </ul>             |  |  |  |

## Material Safety Data Sheet

Acc. to 91/155/EEC adjustment acc. to Directive 2001/58/EC Hoffmann Dental Manufaktur GmbH



Material Safety Data Sheet Acc. to 91/155/EEC adjustment acc. to Directive 2001/58/EC Hoffmann Dental Manufaktur GmbH

| 15.  | Regulations according t  | ons according to GHS  |  |  |  |
|--|--|---|--|--|--|
|  | Signal word: Danger<br>Hazard pictogram:   | ¥2  |  |  |  |
|  | <ul> <li>Hazard Statements:</li> <li>H314: Causes severe skin burns and eye damage</li> <li>H411: Toxic to aquatic life with long lasting effects</li> <li>Percentionary Statements:</li> <li>P270: Do not eat, drink or smoke when using this product</li> <li>P273: Avoid release to the environment.</li> <li>P300: Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.</li> <li>P310: Immediately call a POISON CENTER or doctor/physician.</li> <li>P363: Wash contaminated clothing before reuse</li> <li>P31: Collect spillage.</li> </ul> |   |  |  |  |
|  |  |   |  |  |  |
| 16.  |  |   |  |  |  |
|  | (GefStoffV)<br>Labels:   | Iassified and labelled in accordance with EU-Directives / Ordinance on Hazardous Materials<br>N Hazardous to the environment<br>C Corrosive   |  |  |  |
|  | for the<br>environment<br>Risk phrases:  | <ul> <li>34 Causes burns</li> <li>51/53 Toxic to aquatic organisms, may cause long-term harmful effects in the waters.</li> </ul>   |  |  |  |
|  | Safety phrases:  | <ul> <li>20 Do not drink and eat when using.</li> <li>24 Avoid skin contact.</li> <li>25 Avoid eye contact.</li> <li>26-28 In case of eye contact get prompt medical attention; contaminated clothing must be removed immediately; in case of skin contact wash skin with plenty of water immediately.</li> <li>36/37/39 Wear suitable protective clothing, gloves and eye/face protection.</li> <li>45 In case of accident or if you feel unwell consult a physician immediately.</li> </ul> |  |  |  |
|  | 57 Use appropriate container to prevent environmental contamination.<br>National regulations:<br>Water hazard class: 2 (hazardous to the waters), self-assessment.   |   |  |  |  |
| 17.  | Other information  |   |  |  |  |
| This information is based on our present knowledge. However, they do not represent a guarantee for<br>and do not establish a contractual relationship. It is to emphasize that there are no warnings at all a<br>risks by Zinc Oxide as far as the product is used according to regulations.<br><b>Department issuing MSDS:</b> Quality assurance department |  | contractual relationship. It is to emphasize that there are no warnings at all about human health ar as the product is used according to regulations.   |  |  |  |

Department issuing MSDS: Quality assurance department