

Page 1/7

Tel.: +49 (0)800 4372522

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Version number 3 (replaces version 2) Revision: 15.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
 - · Trade name: iBOND Etch 35 Fluid
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture dental etching agent
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Informing department: E-Mail: msds@kulzer-dental.com

• 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
 - · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

orthophosphoric acid

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P234 Keep only in original packaging.

P280 Wear protective gloves / eye protection.

P280 Wear protective clothing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

· 2.3 Other hazards -

- · Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - vPvB: Not applicable.

GB



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Version number 3 (replaces version 2) Revision: 15.11.2022

Trade name: iBOND Etch 35 Fluid

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - · Description: -

| Dangerous com | ponents: | |
|-----------------------------------|--------------------------------------------------------------------------------|--------|
| | orthophosphoric acid | 25-50% |
| EINECS: 231-633-2 | Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4. H302 | |
| | Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % | |
| | . Skin Irrit. 2; H315: 10 % ≤ C < 25 % | |
| | Eye Irrit. 2; H319: 10 % ≤ C < 25 % | |

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - General information Instantly remove any clothing soiled by the product.
 - · After skin contact Instantly wash with water and soap and rinse thoroughly.
 - · After eye contact
 - Rinse opened eye for several minutes under running water. Then consult doctor.
 - · After swallowing
 - Rinse out mouth and then drink plenty of water.
 - Do not induce vomiting; instantly call for medical help.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - Suitable extinguishing agents
 - CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
 - · Protective equipment: No special measures required.
 - Additional information -

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Dilute with much water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues). Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Send for recovery or disposal in suitable containers.

· 6.4 Reference to other sections

See Section 13 for information on disposal.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2022

Version number 3 (replaces version 2)

Revision: 15.11.2022

Trade name: iBOND Etch 35 Fluid

(Contd. of page 2)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep containers tightly sealed.

Please observe the additional instructions in the product's instructions for use.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace:

7664-38-2 orthophosphoric acid

OES () Short-term value: 2 mg/m3 Long-term value: 1 mg/m3

New, IOELV, Sk

· Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
 - Appropriate engineering controls No further data; see item 7.
 - Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

- Breathing equipment: Not required.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Natural rubber, NR

· Eye/face protection Tightly sealed safety glasses.

(Contd. on page 4)



Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Version number 3 (replaces version 2) Revision: 15.11.2022

Trade name: iBOND Etch 35 Fluid

· Body protection: Light weight protective clothing

(Contd. of page 3)

SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties General Information · Physical state Fluid · Colour: Red · Smell: Odourless · Melting point/freezing point: Not determined · Boiling point or initial boiling point and 100 °C boiling range · Flash point: Not applicable ·SADT pH at 20 °C 0.3 Solubility Water: Fully miscible · Steam pressure at 20 °C: 23 hPa Density and/or relative density 1.23 g/cm3 Density at 20 °C · 9.2 Other information No further relevant information available. · Appearance: Form: Fluid · Important information on protection of health and environment, and on safety. · Self-inflammability: Product is not selfigniting. Explosive properties: Product is not explosive. Solvent content: Water: 56.5 % · VOC EU g/l 4.1 % · Solids content: · Information with regard to physical hazard classes Void **Explosives** · Flammable gases Void Void · Aerosols · Oxidising gases · Gases under pressure Void Void · Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void · Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void Oxidising solids Void Void Organic peroxides Corrosive to metals May be corrosive to metals.

(Contd. on page 5)



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Version number 3 (replaces version 2) Revision: 15.11.2022

Trade name: iBOND Etch 35 Fluid

(Contd. of page 4)

Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - · Acute toxicity Based on available data, the classification criteria are not met.
 - · LD/LC50 values that are relevant for classification:

| 7664-38-2 | ortho | phos | phoric | acid |
|-----------|-------|------|--------|------|
|-----------|-------|------|--------|------|

| Oral | LD50 | 1,530 mg/kg (rat) |
|------------|------|-------------------|
| Dermal | | 2,740 mg/kg (can) |
| Inhalative | | >850 mg/l (rat) |

Skin corrosion/irritation

Causes severe skin burns and eye damage.

- Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
 - Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

(Contd. on page 6)



Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Version number 3 (replaces version 2) Revision: 15.11.2022

Trade name: iBOND Etch 35 Fluid

(Contd. of page 5)

· 12.7 Other adverse effects

- Additional ecological information:
 - General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pHvalues. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.
 - · Recommended cleaning agent: Water, if necessary with cleaning agent.

| 14.1 UN number or ID number · ADR, IMDG, IATA | 1805 |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| 14.2 UN proper shipping name · ADR · IMDG, IATA | 1805 PHOSPHORIC ACID, LIQUID PHOSPHORIC ACID SOLUTION |
| 14.3 Transport hazard class(es) | |
| · ADR | |
| | |
| · Class · Label | 8 (C1) Corrosive substances. |
| · IMDG, IATA | |
| 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | |
| · Class · Label | 8 Corrosive substances. 8 |
| 14.4 Packing group · ADR, IMDG, IATA | III |
| 14.5 Environmental hazards: Marine pollutant: | No |



Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Version number 3 (replaces version 2) Revision: 15.11.2022

Trade name: iBOND Etch 35 Fluid

(Contd. of page 6)

Warning: Corrosive substances. · 14.6 Special precautions for user ·Kemler Number: 80

· EMS Number: F-A.S-B

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

· Transport/Additional information:

· UN "Model Regulation": UN1805, PHOSPHORIC ACID, SOLUTION, 8, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic

compounds)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

* Data compared to the previous version altered.